

Statutory Instrument 2002 No. 3113

The Traffic Signs Regulations and General Directions 2002

PART I

THE TRAFFIC SIGNS REGULATIONS 2002

SECTION 1

PRELIMINARY

Road markings shown in diagrams 1025.1, 1025.3, 1025.4, 1043 and 1044: bus stop and bus stand clearways and box junctions

29. - (1) The road markings shown in diagrams 1025.1, 1025.3 and 1025.4 shall convey the prohibition specified in Part I of Schedule 19.

(2) The road markings shown in diagrams 1043 and 1044 shall convey the prohibition specified in Part II of Schedule 19.

SCHEDULES TO THE REGULATIONS

SCHEDULE 19

Regulation 29

BUS STOP AND BUS STAND CLEARWAYS AND BOX JUNCTIONS

PART I

SIGNIFICANCE OF BUS STOP AND BUS STAND CLEARWAY MARKINGS

PART II

SIGNIFICANCE OF BOX JUNCTION MARKINGS

Interpretation of Part II of Schedule

6. In this Part of this Schedule -

(a) "box junction" means the area of carriageway marked with yellow cross-hatching at a junction between two or more roads on which there has been placed the road marking shown in diagram 1043 or 1044; and

(b) a reference (however expressed) to a vehicle which is stationary or stops within a box junction includes a vehicle which is stationary whilst part of it is within the box junction.

Prohibition conveyed by markings in diagram 1043 or 1044

7. - (1) Except when placed in the circumstances described in paragraph 8, the road markings shown in diagrams 1043 and 1044 shall each convey the prohibition that no person shall cause a vehicle to enter the box junction so that the vehicle has to stop within the box junction due to the presence of stationary vehicles.

(2) The prohibition in sub-paragraph (1) does not apply to any person -



(a) who causes a vehicle to enter the box junction (other than a box junction at a roundabout) for the purpose of turning right; and

(b) stops it within the box junction for so long as it is prevented from completing the right turn by oncoming vehicles or other vehicles which are stationary whilst waiting to complete a right turn.

Prohibition conveyed when markings are placed in conjunction with signs in diagrams 615 and 811

8. When the road marking shown in diagram 1043 or 1044 is placed in conjunction with the signs shown in diagrams 615 and 811 on an area of carriageway which is less than 4.5 metres wide at its narrowest point, the road marking shall convey the prohibition that no person shall cause a vehicle to enter the box junction so that the vehicle has to stop within the box junction due to the presence of oncoming vehicles or other stationary vehicles beyond the box junction.

SCHEDULE 6 ROAD MARKINGS (contd.)



1043, 1044
Marking conveying the requirements prescribed by regulation 29(2) and Part II of Schedule 19

Item	
1	Regulations: 10(1), 12(6), 12(11), 29(2)
2	Directions: 35
3	Diagrams: 615, 811
4	Permitted variants: Any corner may be cut away as shown. The cut-away corner may be completed in the same manner as the other corners. Parts of the marking shall be omitted where tram rails cross the marking. Parts of the marking may be omitted to indicate the edge of the path taken by a tramcar and, where so omitted, the remaining parts shall be bounded by a continuous yellow line
5	Illumination requirements: Schedule 17, item 12