

A university teaching and research-active Trust

Bridge Park Plaza
Bridge Park Road
Thurmaston
Leicester
LE4 8PQ
Direct dial: (0116) 295 5296
Email: lpt.foi@nhs.net
Tel: 0116 295 1350
www.leicspart.nhs.uk

Our ref: FOI/2223/SG12346

Date: 6 October 2022

Email: request-903011-5013d7df@whatdotheyknow.com

Dear Emmanuel Phillips,

Request under Freedom of Information Act 2000 – Ref: FOI/2223/SG123456

Thank you for your request for information under the Freedom of Information Act 2000, received on 27 September 2022. Please find below our response to your request:

REQUEST:

System type – Accident & Emergency – No System in use due to no A&E

Supplier name

System name -

Date installed -

Contract expiration -

Is this contract annually renewed? - Yes/No

Do you currently have plans to replace this system? - Yes/No

Procurement framework -

Other systems it integrates with? –

Total value of contract (£) –

Notes - e.g. we are currently out to tender

-

System type – Digital Dictation

Supplier name **BIGHAND**

System name - **BIGHAND**

Date installed – **April 2017**

Contract expiration – **N/A**

Is this contract annually renewed? - Yes/No **License fees paid annually**

Do you currently have plans to replace this system? - Yes/No **No**

Procurement framework – **N/A**

Other systems it integrates with? – **None**

Total value of contract (£) – **£18,136.06 + VAT**

Notes - e.g. we are currently out to tender

Trust Headquarters: Bridge Park Plaza, Bridge Park Road, Thurmaston, Leicester. LE4 8PQ

Chair: Cathy Ellis Chief Executive: Angela Hillery

We are a smoke-free Trust.

NHS organisations now use 100 per cent recycled paper as part of our sustainability commitment

View our privacy notice at www.leicspart.nhs.uk/_Aboutus-Whatwedowithyourinformationprivacynotice.aspx

System type – Document Management – No System

Supplier name

System name -

Date installed -

Contract expiration -

Is this contract annually renewed? - Yes/No

Do you currently have plans to replace this system? - Yes/No

Procurement framework -

Other systems it integrates with? –

Total value of contract (£) –

Notes - e.g. we are currently out to tender

System type – Scheduling – No System

Supplier name -

System name -

Date installed -

Contract expiration -

Is this contract annually renewed? - Yes/No

Do you currently have plans to replace this system? - Yes/No

Procurement framework -

Other systems it integrates with? –

Total value of contract (£) –

Notes - e.g. we are currently out to tender

I trust this response is helpful to you. However, if you are dissatisfied with the handling of your request, you have the right to ask for an internal review. Requests for an internal review should be submitted within two months of the date of receipt of the response to your original request and should be addressed to: *Hannah Plowright, Deputy Data Protection Officer, Unit 2, Bridge Park Plaza, Thurmaston, Leicester LE4 8BL*

If you remain dissatisfied with the handling of your request, you have a right of appeal to the Information Commissioner at: *The Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF. Phone: 0303 123 1113. Website: www.ico.gov.uk*. There is no charge for making an appeal.

If you require any further assistance, please do not hesitate to contact me. Please remember to quote the reference number above in any communications.

Yours sincerely,

Data Privacy Team