

Ref no: 101250219
From: Commercial
Date: 25/02/19
Subject: Bowel Management Patient Safety Alert (SPINE 01/19)

REQUEST

I work for the Spinal Injuries Association (SIA), the leading national user-led charity supporting spinal cord injured people and their families. Being a user led organisation SIA understand the challenges of living with a spinal cord injury (SCI). We strive to support all people living with SCI to access the services and support they need to stay healthy and live full, fulfilling and active lives.

Part of my role is to assist the Head of Public Affairs with FOI requests, such as the one that follows. As a request under the Freedom of Information Act, please provide the following information about the recent NHS Improvement (NHSI) Patient Safety Alert “Resources to support safer bowel care for patients at risk of autonomic dysreflexia 25 July 2018”, Alert reference number: NHS/PSA/RE/2018/005

Q1. Does the Trust have a formal written policy for digital rectal examination, digital rectal stimulation and the digital removal of faeces in spinal cord injured and other patients with neurogenic bowel dysfunction?

(a) Yes

Q2. Following recommendation of this patient safety alert, did the Trust “review your local clinical policy and guidance relating to bowel assessment and management”?

(b) Yes – reviewed the trust policy which is compliant with the Patient Safety Alert.

Q3. Is your policy based on the policy template that the Spinal Injuries Association circulated to your trust in August 2018?

(a) No, the Trust policy was reviewed in June 2016 using the trust policy template. However, the contents of the policy reflect the Spinal Injuries Association guidance and NPSA alert.

Q4. If admitted to the Trust will a person with neurogenic bowel dysfunction receive the following bowel care intervention – Digital removal faeces?

(a) Yes.

Q5. If admitted to the Trust will a person with neurogenic bowel dysfunction receive the following bowel care intervention –Digital rectal stimulation?

(a) Yes

Q6. If admitted to the Trust will a person with neurogenic bowel dysfunction receive the following bowel care intervention –Trans anal irrigation?

(a) Yes

Q7. Are staff available seven days a week to undertake these bowel care interventions?

(b) Yes

Q8. Has the Trust “reviewed your local education and training provision for interventional bowel management” as recommended in the Patient Safety Alert?

(a) Yes

Q9. As requested by the Patient Safety Alert, has the trust developed “an action plan to ensure patients have adequate and timely access to staff who are trained appropriately to carry out these procedures, including in the evening and at weekends”?

(a) Yes

(b) Yes

Q10. Has the Trust “shared your reviewed local guidance, advice on how to identify staff who can provide Digital Removal of Faeces, and the key messages in this alert with medical, nursing and other relevant clinical staff”?

Yes

Q11. Does the Trust have a policy that allows for the personal care assistants/carers of spinal cord injured patients to assist with this element of the patient's care?

(a) Yes

Q12. As recommended in the Patient Safety Alert, have you identified “an appropriate clinical leader to co-ordinate implementation of this alert”?

(a) Yes (please answer Q13, but ignore Q14)

Q13. What are the contact details for the “appropriate clinical leader”(i.e. name, position, telephone and email)?

Angela Sharman, continence nurse specialist

Angelasharman@sthk.nhs.uk

Contact no: 01744 626718

Q14. Why has your Trust not appointed an “appropriate clinical leader”?

Clinical leader in place.

- (a) Alert implemented without appointment of a clinical leader
- (b)** Took no action following Patient Safety Alert, as policy already in place
- (c) Took no action. No existing policy in place
- (d) Other

Q15. Are your newly registered nurses able to demonstrate the nursing procedures as required in Annexe B, section 6.5 of the Nursing and Midwifery Council’s document ‘Future Nurse: Standards of Proficiency for Registered Nurses’?

- (a) yes