EUREKA Modified Catering Vehicle - Cleaning Specification for Overnight Depot Cleaning

- 1. All items must be removed from the kitchen for heavy and combined chemical cleaning.
- 2. At all times appropriate attire should be worn i.e. cleaning overalls.
- 3. All cleaning should commence from the First class entrance of the service vehicle and work towards the Buffet end.
- 4. All cleaning tasks should be completed on a high to low level task basis.
- 5. Ensure all surfaces are cleaned with special consideration to edges, sides and corners. This is where most dirt will harbour.
- 6. Always clean top, inside, outside and bottom of all areas / equipment in this order.
- 7, Ensure that all areas are completely free of litter and all surfaces are clean and free of marks, streaks, staining or residue following

following cleaning

COLOUR CODING FOR HYGIENE

Always use two colours within the washroom

BLUE

Genral lower risk areas (excluding food areas) I



GREEN

General food & bar areas



RED

Sanitary appliances & washroom floors



YELLOW

Wash basins & other washroom surfaces

Area	Task Code	Kitchen	Buffet	Overnight	Weekly Sunday	Precautions	Method of cleaning: Overnight Cleans and weekly cleaning tasks if applicable	Chemical:	Equipment Required	Colour Code
Ceilings / walls	C1	√	√	✓		step ladder ensure	1. Prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then remove by wiping, turning and re-rinsing the cloth frequently. Apply clean rinse water and wipe dry with clean micro fibre cloth	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
						Wear protective gloves and overshoes	Spray with anti-bacterial and wipe with clean damp cloth. Ensure that there is no remaining marks, streaks, staining or residue following cleaning			
Air vent filters	C2	√	✓	✓		step ladder ensure cleaning operative has been trained in safe usage of the equipment	Prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then remove by wiping, turning and re-rinsing the cloth frequently. Apply clean rinse water and wipe dry with clean micro fibre cloth	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
						Wear protective gloves and overshoes	2. Ensure that there is no remaining marks, streaks, staining or residue following cleaning			

High Level shelving	C3	√	✓	✓	table wear goods. Replace with a new pair before handling crockery etc.	 All items must be removed and stored appropriately away from the cleaning area. Remove any obvious dirt and using a scraper remove any lodged debris from corners, edges and seals. Prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then remove by wiping, turning and re-rinsing the cloth frequently. Apply cleam rinse water and wipe dry with clean micro fibre cloth Spray with anti-bacterial and wipe with clean damp cloth. Ensure that there is no remaining marks, streaks, staining or residue following cleaning 	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
Grill above hob	C4	√		V	and overshoes- turn off power - allow to cool	 Remove debris with a wire brush. Wipe surface with a dry disposable towel. Wipe surrounding areas with a clean damp cloth. Ensure that there is no remaining marks, streaks, staining or residue following cleaning. 	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination Wire Brush	
Convotherm Ovens (ouside)	C5	√		√	Wear protective gloves overshoes and eye protection	Wipe down the outside top, sides and front of the oven with anti-bacterial solution and wipe clen with a damp cloth	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
Convotherm Ovens (inside)	C6	✓			Wear protective gloves overshoes and correctly fitting safety goggles	1. See specific manufactuarers instructions for weekly cleaning of Baffle Plate. Please note that there is no requirement for Overnight Cleaning on the Ovens. Dailly cleaning of the Ovens is the responsibility of the on board team. If the vehicle is received in a poor state of general food hygiene cleanliness then this should be highlighted to the Depot Cleaning Supervisor further more onto the EC Cleaning Process Manager.	Convoclean new in spray bottles	See specific manufactuarers instructions for weekly cleaning of Baffle plate	
Toaster	C7	✓		✓	and overshoes - turn off power - allow to cool	1. Remove surface debris with a dry disposable towel.Remove and empty crumbs. 2. When cool, prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then remove by wiping, turning and re-rinsing the cloth frequently. 3. Rinse with clean water 4. Spray with anti-bacterial and wipe with clean damp cloth. 5. Ensure that there is no remaining marks, streaks, staining or residue following cleaning	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	

Microwave	C8			Wear protective gloves turn off power - allow to cool DO not use harsh detergents or abrasives Do not spray directly onto any surface as thi could damage the oven. Always spray chemical directly onto cloth and wipe over surface to be cleaned. Do not allow oven cleaner near the holes in the wall of the oven. Do not use wire wool scourers to clean the oven interior. Do not place hot ceramic tray under a COLD tap the tray may shatter.	cleaner onto a clean damp microfibre cloth NOT DIRECTLY ONTO EQUIPMENT then remove by wiping, turning and re-rinsing the cloth frequently. 1. Door Seals - pay particular attention to cleaning the door seals and door seal areas. Regularly wipe the Drip Ledge to avoid a build up of moisture and grease. 2. Door - Inside glass should be cleaned by wiping with a damp cloth, do not spray chemical directly on door. 3. Oven Walls - Wipe over with a damp cloth. Small amounts of oven cleaner can be used by used but only when applied directly onto a damp cloth.	Blade QAC Spray Stove	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
Bravilor Coffee Brewers	C9	V	V	Wear protective gloves and eye protection - turn off power - allow	 Clean the exterior of the coffee brewer by spraying the chemical cleaner onto a damp micro fibre cloth and wiping over all areas removing any stubborn marks or stains. The vacuum flasks and airpots can be rinsed with hot water. The glass decanters and the filter pan can be washed normally in hot soapy water and subsequently thoroughly rinsed with water. 	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
Hob	C10	*	V	Wear protective glovesand eye protection - turn off power - allow to cool	 Apply an even coating over the hob surface, allow sufficient time for cleaning and carbonising to take place (approx 10-30 minutes). Wipe or rinse off with water. Depending upon degree of soiling use a heavy duty scourer or scraper to remove any loose debris. 	Spray Stove	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	

Windows	C11	✓		V	and overshoes	 All items must be removed and stored away from the cleaning area. Remove any obvious dirt and using a scraper remove lodged debris from corners, edges and seals. Wash the surface with hot soapy water, spray with spray vision and clean windows with a dry microfibre cloth. Rinse with clean water. Spray with anti-bacterial spray and wipe with clean damp cloth. 	Spray Vision	Scraper, Sprayvision Window spray and appropriately coloured cloths and buckets to eliminate any risk of cross contamination	
Under worktop shelves / cupboard / drawers / carts .	C12	~	V	*		 All items must be removed and stored appropriately away from the cleaning area. Remove any obvious dirt and using a scrapper remove lodged debris from corners, edges and seals. Prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then remove by wiping, turning and re-rinsing the cloth frequently. Apply cleam rinse water and wipe dry with clean micro fibre cloth Ensure that there is no remaining marks, streaks, staining or residue following cleaning 	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
Carts under coffee brewers and chillers	C13	√		√		Remove all carts and spray and damp wipe internal framework. Mop floor area paying particular attention to edges and corners.	Blade QAC		
Plate Warmer	C14	~		*	electricity supply.	1. Ensure the unit is empty 2. Disconnect unit from electricity supply. 3. Remove shelves but be aware the lower shelves are fixed and must be cleaned in position.	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
Contact Grill	C15		✓	✓	and eye protection -	 When cool, prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then remove by wiping, turning and re-rinsing the cloth frequently. Rinse with clean water Spray with anti-bacterial and wipe with clean damp cloth. Remove debris with a wire brush. Wipe surface with a dry disposable towel. wipe surrounding areas with a clean damp cloth. 	Blade QAC Spray Stove	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination Wire Brush	

Display fridge doors	C16		√		Wear protective glovand overshoes	2. Wipe with clean damp cloth3. Polish with clean dry paper towel	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
Counters, roller shutters and doors (outside and inside if access avialable)	C17	·	√	V	Wear protective glovand overshoes	 All items must be removed and stored appropriately away from the cleaning area. Remove any obvious dirt and using a scrapper remove lodged debris from corners, edges and seals. Prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then remove by wiping, turning and re-rinsing the cloth frequently. 	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
						4. Rinse with clean water 5. Spray with anti-bacterial and wipe with clean damp cloth.			
Chiller storage areas	C18	✓	✓	✓ ·	Wear protective glo	 Carts should be removed from area if in situ. Remove any obvious dirt and using a scrapper remove lodged debris from corners, edges, runners and seals and from inside the space. Prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then remove by wiping, turning and re-rinsing the cloth frequently. Rinse with clean water Spray with anti-bacterial and wipe with clean damp cloth. 	Blade QAC	Colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination.	
Litter and litter bins and bin compartments	C19		V	✓	Wear protective glovand overshoes. DO NOT PUT HANDS INTO THE WASTE BI TO REMOVE RUBBIS	2. Remove bin from bin compartment and remove any obvious dirt from both.	Blade QAC	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	

Soap dispenser and paper towels - top up and replenish as necessary Telephone Handset	C20	Y		√	and overshoes	gloves 1. This must always be done after the cleaning of the service vehicle. 2. Wash in hot soapy water. 3. Spray with anti-bacterial spray. 4. Wipe with clean damp cloth and allow to dry. 5. Restock soap dispenser and paper towels gloves 1. Using telephone / vdu wipe clean surfaces of telephone and handset.	Blade QAC Telephone	colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination Telephone/VDU wipes	
					and overshoes	2. use a fresh wipe for each piece of equipment being cleaned.	VDU Wipes		
Work surfaces / sinks / taps and boiler units.	C22	✓	*	*	Remove cleani gloves if remo crockery, uten table wear goo	2. Prepare the cleaning solution in a bucket to manufacturers instructions adding chemical cleaner to hot water. Apply using a microfibre cloth, then	Blade QAC	Colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	
Floors	C23	✓	~	*	Wear protective and overshoes	gloves 1. Remove any dirt / food as soon as possible 2. Mop floors thoroughly to remove built in debris. 3. Rinse with clean water. 4. Spray anti-bacterial over area. 5. Dry using a clean disposable cloth	Blade QAC	Colour coded micro fibre cloths and buckets to eliminate any risk of cross contamination	