

Display energy certificate (DEC)



HM Government

The Blue Building
Coventry College, Henley Campus
Henley Road
Coventry
CV2 1ED

Operational rating

B

Certificate number: 8956-9519-8172-7222-7596

Valid until: 30 January 2023

Total useful floor area: 1310 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO₂) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.

Score	Operational rating	This building	Typical
0-25	A		
26-50	B	36 B	
51-75	C		
76-100	D		
----- 100 -----			
101-125	E		
126-150	F		
150+	G		

This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m ² /year)	29.94	86.29
Typical energy use (kWh/m ² /year)	80	251.70
Energy from renewables	0%	0%

Previous operational ratings

Date	Operational rating
January 2022	36 B
January 2021	46 B
September 2017	50 B

Total carbon dioxide (CO₂) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.

Date	Electricity	Heating	Renewables
January 2022	22	22	0
January 2021	33	22	0
September 2017	43	18	0

Assessment details

Assessor's name	Adrian Newton
Employer/Trading name	ESOS Energy Ltd
Employer/Trading address	2nd Floor Tower House, Fairfax Street, Bristol, BS1 3BN
Assessor's declaration	Contractor to the occupier for EPBD services only.
Accreditation scheme	CIBSE Certification Limited
Issue date	6 January 2022
Nominated date	31 January 2022

