

Smith H (Hannah)

From: Ferguson V (Val)
Sent: 28 February 2017 11:26
To: MS Major Projects
Subject: RE: Aberdeen Harbour CEMD Documents - Important Update
Attachments: RE: Aberdeen Harbour CEMD Documents - Important Update

Rania I queried that and received the reply attached

*Val Ferguson
Ports Policy Adviser
Ports, Shipping, Freight and Canals Branch
Area 2F North
Victoria Quay
Edinburgh
EH6 6QQ
0131 244 7878
val.ferguson@transport.gov.scot*



Transport Scotland, the national transport agency
Còmhdaigh Alba, buidheann nàiseanta na còmhdaigh

*Our logo may not display properly on some computer systems



From: MS Major Projects
Sent: 28 February 2017 11:18
To: Ferguson V (Val)

Subject: FW: Aberdeen Harbour CEMD Documents - Important Update
Importance: High

Hi Val,

Thank you for sending through the updated contact for Historic Environment Scotland (HES) and apologies for the discrepancy.

I am not sure if the below notification was also sent by post to some consultees, but RSPB Scotland, Scottish Water and HES seem to have been missed out. Can you please clarify?

Many thanks,
Rania

Rania Sermpezi
Marine Licensing Casework Officer
Marine Scotland - Marine Planning & Policy

Scottish Government | Marine Laboratory | 375 Victoria Road | Aberdeen | AB11 9DB

Direct Line: +44 (0)1224 295 615
General Queries: +44 (0)1224 295 579

Fax: +44 (0)1224 295-524
Email: rania.sermpezi@gov.scot
Website: <http://www.scotland.gov.uk/marinescotland>



From: Natalie McCandlish [<mailto:Natalie.McCandlish@arup.com>]

Sent: 27 February 2017 17:26

To: Sue Lawrence; darren.hemsley@snh.gov.uk; navigation; sarah.dolman@wdcs.org; fiona.read@whales.org; PI; Andrew Miller; Carol Mair; mark@riverdee.org; Planning Aberdeen; navigationsafety

Cc: Zoe Crutchfield; Nichelle Murray; Katherine Harris; Ferguson V (Val); MS Major Projects; AHEP enviro

Subject: Aberdeen Harbour CEMD Documents - Important Update

Importance: High

Dear All,

I would first like to apologise for any confusion in the receipt of the Aberdeen Harbour CEMD and associated documents that were sent out on Friday.

Four updates were required to the CEMD that was sent out on Friday. These are:

1. Addition of Appendix 1: Ground Gas and Groundwater Report;
2. Minor update to Chapter 1 to include a reference to the Ground Gas and Groundwater Report;
3. Update to Chapter 1, Figure 1.2 to include the correct drawing; and
4. Amendment to Chapter 3 Construction Method Statement as the appendices were missing from the version sent on Friday.

The above mentioned updated documents are attached to this email for your reference, and a CD with an updated complete package will be sent to you shortly.

All other parts of the CEMD remain unchanged from the version sent out on Friday.

I have also included a general Table of Contents document for your reference if needed.

I apologise for any inconvenience.

Kind regards

Natalie McCandlish
PA | Consulting

Arup
Scotstoun House, South Queensferry, Edinburgh, EH30 9SE, United Kingdom
t: +44 0131 331 1999
www.arup.com

Connect with Arup on [LinkedIn](#)
Follow [@ArupGroup](#)

For more information please visit <http://www.symanteccloud.com>

This email has been received from an external party and

has been swept for the presence of computer viruses.
