

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

Street: Hare Street Road (12407764)

Locality: Buntingford, Hertfordshire

Area: Buntingford

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	10.00	<b>Road No. - Locn.:</b>	B1038/20 - Pipkin Drive to Alswick Hall Farm track	<b>C/Way Type:</b>	HW:Network		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1931676 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/02/2018
938782	Pemanate carriageway patch (1.2x 1) marked 60mph stop an go required ( RN )	02/02/2018		CPH3-C/way pothole-5 Days	Internal		Committed	1777259
<b>Batch:</b>	1922486 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/01/2018
929282	Failed wearing uneven carriageway and worn markings	04/01/2018	Along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1913407 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/12/2017
920169	Failed wearing uneven carriageway and worn markings	04/12/2017	Along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1904506 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 01/11/2017
911167	Failed wearing uneven carriageway and worn markings	01/11/2017	Along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1893827 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/10/2017
901600	Failed wearing uneven carriageway and worn markings	04/10/2017	Along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1882708 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/09/2017
891703	Failed wearing uneven carriageway and worn markings	04/09/2017	Along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1869108 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/08/2017
882214	Failed wearing uneven carriageway and worn markings	02/08/2017	Along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1860139 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/07/2017
872558	2 sqm carriageway patching in three areas marked ( 1.0 x 0.9 ) + ( 1.5 x 0.3 ) + ( 2.3 x 0.4 ) 60mph section stop and go needed ( cf )	04/07/2017	40, 15 and 10 metres before footpath post number 34 and 025 at green gates	CWOTH:C/Way Other	Internal		Committed	1736569
872559	Failed wearing uneven carriageway and worn markings	04/07/2017	Along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1850053 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 01/06/2017
862483	Failed wearing uneven carriageway and worn markings	01/06/2017	Along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1840683 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/05/2017
852734	failed wearing uneven c/w, frames and worn markings	03/05/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1830328 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/04/2017
841625	failed wearing uneven c/w, frames and worn markings	04/04/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	10.00	<b>Road No. - Locn.:</b>	B1038/20 - Pipkin Drive to Alswick Hall Farm track	<b>C/Way Type:</b>	HW:Network		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1820472 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/03/2017
831609	failed wearing uneven c/w, frames and worn markings	02/03/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	
831608	1 sqm carriageway patch marked ( 1.8 x 0.8 ) ( 60 mph section stop and go needed) ( cf )	02/03/2017	25 metres from junction with pipkin drive	CWOTH:C/Way Other	Internal		Committed	1712829
831607	1 sqm carriageway patch marked ( 0.9 x 0.8 ) ( 60 mph section stop and go needed) ( cf )	02/03/2017	At green gates on field and tree with flowers on it	CWOTH:C/Way Other	Internal		Committed	1712828
<b>Batch:</b>	1811167 - Inspection Batch		<b>Route:</b>	Adhoc Inspection				<b>Date:</b> 03/02/2017
822962	XYZ lp, culvert manhole without top, needs 900 x 600 slab replaced. TM, give and take (Enquiry 2160328)	03/02/2017	Hare Street Road,,,Buntingford, on bend before alswick cottages.	CGCBA:Missing Or Broken Item	Internal		Committed	1706037
<b>Batch:</b>	1810775 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/02/2017
822586	failed wearing uneven c/w, frames and worn markings	02/02/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	
822584	Make safe 1 pothole in failed utility trench in carriageway marked 30 mph section give and take (cf )	02/02/2017	Junction with pipkin drive	CWOTH:C/Way Other	Internal		Committed	1705758
822585	Failed utility reinstatement (pothole has been made safe)	02/02/2017	Junction with pipkins drive	CWOTH:C/Way Other	Internal		Uncommitt	1705759
<b>Batch:</b>	1801409 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/01/2017
813660	failed wearing uneven c/w and worn markings	04/01/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1792686 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 01/12/2016
805659	2 failed utility reinstatements in carriageway (ringway wil be making safe)	01/12/2016	Junction with pipkin drive	CWOTH:C/Way Other	Internal		Uncommitt	1693490
805664	failed wearing uneven c/w and worn markings	01/12/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
805661	Make safe ONLY 2 potholes in failed utility reinstatements marked ( 30 mph section stop and go needed) ( cf )	01/12/2016	Junction with pipkin drive	CWOTH:C/Way Other	Internal		Committed	1693491
<b>Batch:</b>	1792658 - Inspection Batch		<b>Route:</b>	Adhoc Inspection				<b>Date:</b> 01/12/2016
805624	XYZ LP Carriageway patch 0.9 x 0.6, stop and go required. (Enquiry 2143419)	01/12/2016	Hare Street Road,,,Buntingford, pipkin drive.	CWDPA:Trnch Lvl>40Mm Prty Or	Internal		Committed	1693476
<b>Batch:</b>	1783422 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/11/2016
796780	failed wearing uneven c/w, worn markings and over runs	02/11/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1771830 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 03/10/2016
785453	failed wearing uneven c/w, worn markings and over runs	03/10/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	10.00	<b>Road No. - Locn.:</b>	B1038/20 - Pipkin Drive to Alswick Hall Farm track	<b>C/Way Type:</b>	HW:Network		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1762886 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/09/2016
777541	failed wearing uneven c/w, worn markings and over runs	02/09/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1753502 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/08/2016
769571	failed wearing uneven c/w, worn markings and over runs	02/08/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1744737 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 05/07/2016
761531	failed wearing uneven c/w, worn markings and over runs	05/07/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
761529	Damaged double BT frame in carriageway marked	05/07/2016	Alswick hall entrance	CGCBC:Damaged	Internal		Uncommitt	1665036
<b>Batch:</b>	1734943 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/06/2016
752497	2 sqm carriageway patching 5 areas marked 60 mph section give and take needed) ( cf )	02/06/2016	Opposite green gates at field entrances	CWOTH:C/Way Other	Internal		Committed	1659035
752494	1/2 sqm carriageway patch marked 60 mph section give and take needed) ( cf )	02/06/2016	Approximately 30 metres from pipkin drive	CWOTH:C/Way Other	Internal		Committed	1659034
752498	failed wearing uneven c/w, worn markings and over runs	02/06/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1728764 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/05/2016
745388	failed wearing uneven c/w, worn markings and over runs	04/05/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
745387	1 sqm c/w patch marked (30 mph section) [cf]	04/05/2016	j/w pipkin drive	CWOTH:C/Way Other	Internal		Committed	1652604
<b>Batch:</b>	1728419 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 05/04/2016
739386	failed wearing uneven c/w and worn markings	05/04/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1728007 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/03/2016
732996	failed wearing uneven c/w	02/03/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
732997	1 sqm c/w patch marked (60 mph section stop and go might be needed) [cf]	02/03/2016	appropriate 30 metres from hayley hill ditch at green gates in field or meridian bollard	CWOTH:C/Way Other	Internal		Committed	1634069
<b>Batch:</b>	1727647 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/02/2016
727808	failed wearing uneven c/w and worn markings	02/02/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1727280 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 05/01/2016
722425	failed wearing c/w and worn markings	05/01/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1726895 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/12/2015
718668	failed wearing uneven c/w,frames and worn markings	02/12/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	10.00	<b>Road No. - Locn.:</b>	B1038/20 - Pipkin Drive to Alswick Hall Farm track	<b>C/Way Type:</b>	HW:Network		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1726462 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/11/2015
712905	failed wearing uneven c/w and worn markings	03/11/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1725975 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/10/2015
706406	worn road markings	02/10/2015	various points along section	RMMIB:Non-Regulatory Worn 30'	Internal		Unactioned	
<b>Batch:</b>	1725446 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/09/2015
700195	failed wearing and worn road markings	02/09/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1724895 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/08/2015
694194	failed uneven carrigeway and at frames with faded white lines and edge overuns	04/08/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1724363 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/07/2015
688676	failed wearing uneven c/w	02/07/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1723677 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/06/2015
683117	failed wearing c/w	02/06/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1722854 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 05/05/2015
677162	failed wearing c/w	05/05/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1721937 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/04/2015
670453	make safe 2 potholes in c/w marked	02/04/2015	at green gates nr public footpath 34	CWPHA:PTHole >40Mm Prity On	Internal		Committed	1547755
670452	failed wearing uneven c/w	02/04/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1720696 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/03/2015
663226	make safe pothole in c/w marked	03/03/2015	nr house no 74 opposite entrance to building site	CWPHA:PTHole >40Mm Prity On	Internal		Committed	1538640
663227	failed wearing uneven c/w	03/03/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1719711 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/02/2015
656496	failed wearing c/w	03/02/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1719078 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 05/01/2015
650832	failed wearing c/w	05/01/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Uncommitt	1516373
<b>Batch:</b>	1718491 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/12/2014
645831	worn road markings	02/12/2014	various points along section	RMMIB:Non-Regulatory Worn 30'	Internal		Uncommitt	1507138
645832	failed wearing c/w	02/12/2014	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Uncommitt	1507139
<b>Batch:</b>	1717874 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/11/2014
	No actionable defects found							
<b>Batch:</b>	1717367 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/10/2014
	No actionable defects found							
<b>Batch:</b>	1716764 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/09/2014
	No actionable defects found							
<b>Batch:</b>	1716079 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/08/2014
	No actionable defects found							

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	10.00	<b>Road No. - Locn.:</b> B1038/20 - Pipkin Drive to Alswick Hall Farm track		<b>C/Way Type:</b> HW:Network		<b>Area:</b> E: 3-East Herts District		
<b>Batch:</b> 1715472	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 02/07/2014
<b>Batch:</b> 1714796	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 03/06/2014
<b>Batch:</b> 1714135	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 02/05/2014
<b>Batch:</b> 1713567	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 04/04/2014
<b>Batch:</b> 1712832	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 04/03/2014
<b>Batch:</b> 1712104	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 04/02/2014
<b>Batch:</b> 1711418	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 03/01/2014
<b>Batch:</b> 1710790	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 03/12/2013
<b>Batch:</b> 1710106	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 04/11/2013
<b>Batch:</b> 1709419	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 02/10/2013
<b>Batch:</b> 1708717	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 03/09/2013
<b>Batch:</b> 1708106	- Inspection Batch			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 05/08/2013
584495	2 potholes in c/w [marked ]	05/08/2013	between alswick hall and buntingford name plate [by public footpath sign 025 and 34]	CWPHA:PThole >40Mm Prity On	Internal		Committed	1356391
<b>Batch:</b> 1707579	- Inspection Batch			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 08/07/2013
581679	failed wearing c/w	08/07/2013	nr tree with flowers on it	CWCKB:Crcks Like To Frm PTho	Internal		Uncommitt	1350351
<b>Batch:</b> 1706942	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 04/06/2013
<b>Batch:</b> 1706405	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 02/05/2013
<b>Batch:</b> 1705846	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 03/04/2013
<b>Batch:</b> 1705265	- Inspection Batch No actionable defects found			<b>Route:</b> Monthly Carriageway				<b>Date:</b> 04/03/2013

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	20.00	<b>Road No. - Locn.:</b>	B1038/10 - C170 Station Road to Pipkin Drive	<b>C/Way Type:</b>	HW:Network		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1931691 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/02/2018
938795	Pemanate carriageway patch (1.2x 1) marked 30mph stop an go required ( RN )	02/02/2018	Opposite union terrace	CPH3-C/way pothole-5 Days	Internal		Committed	1777266
938796	Failed wearing uneven carriageway, frames and worn markings	02/02/2018	Various points along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1922488 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/01/2018
929284	Failed wearing uneven carriageway, frames and worn markings	04/01/2018	Various points along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1913411 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/12/2017
920172	Failed wearing uneven carriageway, frames and worn markings	04/12/2017	Various points along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1904507 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 01/11/2017
911168	Failed wearing uneven carriageway, frames and worn markings	01/11/2017	Various points along section	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1902429 - Inspection Batch		<b>Route:</b>	Adhoc Inspection				<b>Date:</b> 24/10/2017
909405	XYZ Ip, carriageway pothole, 2.3 x 0.6, (perm). Tm, two way lights. With chapter 8 set up. (Enquiry 2219393)	24/10/2017	Hare Street Road,Buntingford, outside no.58	CPH3-C/way pothole-5 Days	Internal		Committed	1755095
<b>Batch:</b>	1893543 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 03/10/2017
901347	Failed wearing uneven carriageway, frames and worn markings	03/10/2017	Various points along section and outside house number 58	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
901346	Failed wearing uneven carriageway caused by unfinished site. Contractors have plain surface course off and now potholes are appearing.	03/10/2017	Outside the jolly sailors and co-op	RSU5-Rough/uneven surface-2H	Internal		Unactioned	
<b>Batch:</b>	1882709 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/09/2017
891704	Failed wearing uneven carriageway, frames and worn markings	04/09/2017	Various points along section and outside house number 58	RSU6-Rough/uneven surface-2M	Internal		Unactioned	
<b>Batch:</b>	1869109 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/08/2017
882215	Failed wearing uneven carriageway, frames and worn markings	02/08/2017	Various points along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1860138 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/07/2017
872557	Failed wearing uneven carriageway, frames and worn markings	04/07/2017	Various points along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1850054 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 01/06/2017
862484	Failed wearing uneven carriageway and worn markings	01/06/2017	Various points along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1840684 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 03/05/2017
852735	failed wearing uneven c/w, frames and worn markings	03/05/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	20.00	<b>Road No. - Locn.:</b>	B1038/10 - C170 Station Road to Pipkin Drive	<b>C/Way Type:</b>	HW:Network	<b>Area:</b>	E: 3-East Herts District	
<b>Batch:</b>	1830307 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/04/2017
841601	failed wearing uneven c/w, frames and worn markings	04/04/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1820476 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/03/2017
831616	failed wearing uneven c/w, frames and worn markings	02/03/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	
831614	1 sqm carriageway patch marked ( 0.6 x 0.6 ) ( 30 mph section stop and go needed ) ( cf )	02/03/2017	Junction with union terrace	CWOTH:C/Way Other	Internal		Committed	1712831
831615	2.5 sqm carriageway patch marked (2m x 1.1) ( 30 mph section stop and go needed and NO PARKING CONES ) ( cf )	02/03/2017	Opposite co-op delivery entrance	CWOTH:C/Way Other	Internal		Committed	1712832
<b>Batch:</b>	1810869 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/02/2017
822670	failed wearing uneven c/w, frames and worn markings	02/02/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1808018 - Inspection Batch		<b>Route:</b>	Adhoc Inspection				<b>Date:</b> 23/01/2017
819748	XYZ lp, carriageway pothole, 0.8 x 0.3 around manhole cover, Tm, give and take. (Enquiry 2156149)	23/01/2017	Hare Street Road,,,Buntingford, just before Bridgefoot.	CWPHA:PT hole >40Mm Prity On	Internal		Committed	1703015
<b>Batch:</b>	1801420 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/01/2017
813667	failed wearing uneven c/w, frames and worn markings	04/01/2017	various points along section	CWOTH:C/Way Other	Internal		Unactioned	
<b>Batch:</b>	1792722 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 01/12/2016
805681	1 sqm carriageway patch marked ( 0.6x 0.6 ) ( 30 mph section give and take needed ) ( cf )	01/12/2016	Opposite house number 62	CWOTH:C/Way Other	Internal		Committed	1693493
805679	failed wearing uneven c/w, frames and worn markings	01/12/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1783423 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/11/2016
796781	failed wearing uneven c/w, frames and worn markings ( cars parked along edge of section)	02/11/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1771831 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 03/10/2016
785454	failed wearing uneven c/w, frames and worn markings	03/10/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1762887 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/09/2016
777542	failed wearing uneven c/w, frames and worn markings	02/09/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1753503 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/08/2016
769572	failed wearing uneven c/w, frames and worn markings	02/08/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	20.00	<b>Road No. - Locn.:</b>	B1038/10 - C170 Station Road to Pipkin Drive	<b>C/Way Type:</b>	HW:Network		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1744740 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 05/07/2016
761533	failed wearing uneven c/w, frames and worn markings	05/07/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1734945 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/06/2016
752499	failed wearing uneven c/w, frames and worn markings	02/06/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1728764 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 04/05/2016
745389	failed wearing uneven c/w, frames and worn markings	04/05/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1728419 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 05/04/2016
739388	failed uneven utility reinstatement in c/w	05/04/2016	j/w union terrace	CWOTH:C/Way Other	Internal		Uncommitt	1643181
739387	failed wearing uneven c/w, frames and worn markings	05/04/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1728007 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/03/2016
732998	1 sqm c/w patch not marked (30 mph section) [cf]	02/03/2016	j/w union terrace o/s co-op	CWOTH:C/Way Other	Internal		Committed	1634070
732999	failed wearing uneven c/w and worn markings	02/03/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1727647 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/02/2016
727809	failed wearing uneven c/w and frames	02/02/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1727280 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 05/01/2016
722427	failed wearing c/w	05/01/2016	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
722426	3 sqm c/w patching 2 areas marked (30 mph section) stop and go might be needed) [cf]	05/01/2016	j/w union terrace	CWOTH:C/Way Other	Internal		Committed	1614628
<b>Batch:</b>	1726895 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/12/2015
718669	failed wearing uneven c/w, frames and worn markings	02/12/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1726462 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 03/11/2015
712907	2 sqm c/w patching 2 areas marked (30 mph section) [cf]	03/11/2015	s/o co-op j/w union terrace	CWOTH:C/Way Other	Internal		Committed	1597511
712906	failed wearing uneven c/w and worn markings	03/11/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1725975 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/10/2015
706407	worn road markings	02/10/2015	various points along section	RMMIB:Non-Regulatory Worn 30'	Internal		Unactioned	
706408	failed wearing uneven c/w and frames	02/10/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1725446 - Inspection Batch		<b>Route:</b>	Monthly Carriageway				<b>Date:</b> 02/09/2015
700196	failed wearing uneven c/w	02/09/2015	s/o the co-op	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	



Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	20.00	<b>Road No. - Locn.:</b>	B1038/10 - C170 Station Road to Pipkin Drive	<b>C/Way Type:</b>	HW:Network		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1724895 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/08/2015
694195	failed uneven carrigeway and at frames with faded white lines and edge overuns	04/08/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1724363 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/07/2015
688677	failed wearing uneven c/w	02/07/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1723677 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/06/2015
683118	failed wearing c/w	02/06/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1722854 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 05/05/2015
677163	failed wearing uneven c/w and at frames	05/05/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1721937 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/04/2015
670454	failed wearing uneven c/w	02/04/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1720696 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/03/2015
663228	failed wearing uneven c/w	03/03/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Unactioned	
<b>Batch:</b>	1719711 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/02/2015
656497	1 sqm c/w patch not marked 30 mph section (PARKING CONES NEEDED TO COMPLETE WORK)	03/02/2015	o/s house no 5 opposite coop rear entrance (PARKING CONES NEEDED TO COMPLETE WORK)	CWPHA:PTHole >40Mm Prity On	Internal		Committed	1526820
<b>Batch:</b>	1719078 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 05/01/2015
650833	failed wearing c/w	05/01/2015	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Uncommitt	1516374
<b>Batch:</b>	1718491 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/12/2014
645834	sunken utilitiy frames in c/w	02/12/2014	various points along section	CGOTH:Cover/Grating Other	Internal		Uncommitt	1507142
645833	failed uneven c/w	02/12/2014	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Uncommitt	1507140
645835	worn road markings	02/12/2014	various points along section	RMMIB:Non-Regulatory Worn 30'	Internal		Uncommitt	1507141
<b>Batch:</b>	1717874 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/11/2014
	No actionable defects found							
<b>Batch:</b>	1717367 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/10/2014
	No actionable defects found							
<b>Batch:</b>	1716764 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/09/2014
	No actionable defects found							
<b>Batch:</b>	1716079 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/08/2014
	No actionable defects found							
<b>Batch:</b>	1715472 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/07/2014
626556	failed wearing c/w	02/07/2014	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Uncommitt	1466195
626557	worn road markings	02/07/2014	various points along section	RMMIB:Non-Regulatory Worn 30'	Internal		Uncommitt	1466196
<b>Batch:</b>	1714796 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/06/2014
	No actionable defects found							

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	20.00	<b>Road No. - Locn.:</b>	B1038/10 - C170 Station Road to Pipkin Drive	<b>C/Way Type:</b>	HW:Network		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1714135 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/05/2014
618498	1 sqm c/w patch marked (stop and go needed)	02/05/2014	j/w bridge foot	CWPHA:PTHole >40Mm	Prity On Internal		Committed	1449078
<b>Batch:</b>	1713567 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/04/2014
614971	2 potholes in c/w stop and go needed marked	04/04/2014	outside house nos 72 and 30	CWPHA:PTHole >40Mm	Prity On Internal		Committed	1440113
<b>Batch:</b>	1712832 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/03/2014
609998	road markings worn	04/03/2014	various points along section	RMMIA:Regulatory Worn 30%	Internal		Uncommitt	1428037
609997	1 pothole in c/w [marked]	04/03/2014	o/s house no 58	CWPHA:PTHole >40Mm	Prity On Internal		Committed	1428035
609999	failed wearing along section	04/03/2014	various points along section	CWCKB:Crcks Like To Frm PTho	Internal		Uncommitt	1428036
<b>Batch:</b>	1712104 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/02/2014
	No actionable defects found							
<b>Batch:</b>	1711418 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/01/2014
	No actionable defects found							
<b>Batch:</b>	1710790 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/12/2013
598925	loose/rocking/worn sewer frame in c/w and failed trench approximately 5 sq metres	03/12/2013	opp co-op goods in entrance	CGCBA:Missing Or Broken Item	Internal		Uncommitt	1391431
598924	pothole in c/w at frame in c/w	03/12/2013	opp coop good in entrance	CWPHA:PTHole >40Mm	Prity On Internal		Committed	1391430
<b>Batch:</b>	1710106 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/11/2013
	No actionable defects found							
<b>Batch:</b>	1709419 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/10/2013
	No actionable defects found							
<b>Batch:</b>	1708717 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/09/2013
	No actionable defects found							
<b>Batch:</b>	1708106 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 05/08/2013
584496	1 pothole in c/w [marked]	05/08/2013	near bridgefoot cottages by bt pole no 1	CWPHA:PTHole >40Mm	Prity On Internal		Committed	1356392
<b>Batch:</b>	1707579 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 08/07/2013
	No actionable defects found							
<b>Batch:</b>	1706942 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/06/2013
	No actionable defects found							
<b>Batch:</b>	1706405 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 02/05/2013
	No actionable defects found							
<b>Batch:</b>	1705846 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 03/04/2013
	No actionable defects found							
<b>Batch:</b>	1705265 - Inspection Batch			<b>Route:</b>	Monthly Carriageway			<b>Date:</b> 04/03/2013
	No actionable defects found							

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	2,501.00	<b>Road No. - Locn.:</b>	B1038/10/M - Medium Priority Footway	<b>C/Way Type:</b>	HW:Footway		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1922723 - Inspection Batch No actionable defects found			<b>Route:</b>	Wards20to26 Quarterly Fway/Cyc			<b>Date:</b> 04/01/2018
<b>Batch:</b>	1894482 - Inspection Batch No actionable defects found			<b>Route:</b>	Wards20to26 Quarterly Fway/Cyc			<b>Date:</b> 05/10/2017
<b>Batch:</b>	1861713 - Inspection Batch			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 10/07/2017
874526		10/07/2017	Reconstruction of footway taking place	FWOTH:F/Way Other	Internal		Unactioned	
<b>Batch:</b>	1831252 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 06/04/2017
<b>Batch:</b>	1800751 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 03/01/2017
<b>Batch:</b>	1772282 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 04/10/2016
<b>Batch:</b>	1745040 - Inspection Batch			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 05/07/2016
761753	Damaged 6x5 bull nose kerb (put in new)	05/07/2016	Entrance to co-op loading bay	KCAMA:Dmged Adjacent To Footw	Internal		Committed	1665144
<b>Batch:</b>	1728522 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 13/04/2016
<b>Batch:</b>	1727365 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 11/01/2016
<b>Batch:</b>	1726095 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 08/10/2015
<b>Batch:</b>	1724479 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 08/07/2015
<b>Batch:</b>	1722173 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 13/04/2015
<b>Batch:</b>	1719281 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 12/01/2015
<b>Batch:</b>	1717509 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 13/10/2014
<b>Batch:</b>	1715649 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 10/07/2014
<b>Batch:</b>	1713649 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 08/04/2014
<b>Batch:</b>	1711626 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 13/01/2014
<b>Batch:</b>	1709588 - Inspection Batch No actionable defects found			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 09/10/2013

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
<b>Section:</b>	2,501.00	<b>Road No. - Locn.:</b>	B1038/10/M - Medium Priority Footway	<b>C/Way Type:</b>	HW:Footway		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1707671 - Inspection Batch			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 11/07/2013
	No actionable defects found							
<b>Batch:</b>	1706029 - Inspection Batch			<b>Route:</b>	SI:Area4 Quarterly fway/cyc			<b>Date:</b> 11/04/2013
	No actionable defects found							
<b>Section:</b>	3,002,236.00	<b>Road No. - Locn.:</b>	ST0216 - ALSWICK HALL HARE ST.RD,350M W OF ALSWICK	<b>C/Way Type:</b>	Culvert (single cell)		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1789029 - Inspection Batch			<b>Route:</b>	Even Inspection route			<b>Date:</b> 17/11/2016
	No actionable defects found							
<b>Batch:</b>	1717148 - North GIs 19/09/2014			<b>Route:</b>	BCI: North Even			<b>Date:</b> 19/09/2014
	No actionable defects found							
<b>Section:</b>	3,002,236.01	<b>Road No. - Locn.:</b>	ST0216/01 - SPAN 01 ALSWICK HALL HARE ST.RD,350M W C	<b>C/Way Type:</b>	S:Structure Span		<b>Area:</b>	E: 3-East Herts District
<b>Batch:</b>	1789030 - Inspection Batch			<b>Route:</b>	Even Inspection route			<b>Date:</b> 17/11/2016
802411	Surface dressed but worn	17/11/2016		SURF- Wear/Weathering	Internal		Unactioned	
802412	Brick loss in the structure	17/11/2016		M/BW/MC-Brck/Stn Loss/S.Wthrr	Internal		Unactioned	
<b>Batch:</b>	1717148 - North GIs 19/09/2014			<b>Route:</b>	BCI: North Even			<b>Date:</b> 19/09/2014
637144	Surface dressed but worn	30/09/2014		SURF- Wear/Weathering	Internal		Unactioned	
637143	Brick loss in the structure	30/09/2014		M/BW/MC-Brck/Stn Loss/S.Wthrr	Internal		Unactioned	

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order	
Section:	10.00	Road No. - Locn.:	B1038/20 - Pipkin Drive to Alswick Hall Farm track		C/Way Type:	HW:Network	Area:	E: 3-East Herts District
796590	Enquiry No: 1433780 PROB: Carriageway Flooded Comments: PROBLEM DESCRIPTION: CARRIAGEWAY FLOODEDCSR COMMENTS: See 1429487.		zCat 2 Structural (5 day)	zJob Superseded	03/04/2009			
850557	Perm: Replace Studs/catseyes Comments: This work order has superseded the following existing work order(s): 842757 // Observation Description - SEVERAL MISSING HAZARD// Action Type - PERMANENT - logged// Defect Description - cateyes various points along section// Action Details - // FAULT LOCATION <DERESTRICTION BY OAKDENE TO ALSWICK HALL FARM TRAC>		zCat 2 Structural (5 day)	zJob Superseded	02/10/2009			

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	10.00	Road No. - Locn.: B1038/20 - Pipkin Drive to Alswick Hall Farm track	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1350351	failed wearing c/w (CWCKB:Crcks Like To Frm PThole)	nr tree with flowers on it	CAT2 Medium	Job Cancelled	08/07/2013	30/09/2013	Est.
1356391	To be completed by: 06/08/2013 @ 12:22; 2 potholes in c/w [marked ] (CWPHA:PThole >40Mm Prity On WO)	between alswick hall and buntingford name plate [by public footpath sign 025 and 34]	Urgent response (24 hour)	Job Completed	05/08/2013	06/08/2013	Act. HH12/2089941
1365072	Search and repair. Fill potholes	whole section	Emergency response (2 hour)	Job Completed	12/09/2013	05/06/2013	Act. HH12/2098865
1413793	DUE 02-02-14 - 10.04 - ROAD FLOODED - Somebody has dug a ditch on Hare Street Road, near Beehive Pub. This is exacerbating the flooding issue already existent on this road. It is affecting the flow of traffic. 300m north of the Hare Street Village crossroads, as if going towards Barkway. (Enquiry 1862359)	300m north of the Hare Street Village crossroads, as if going towards Barkway. - Hare Street Road,,,Buntingford,	Urgent response (24 hour)	Job Comp Further Work Closed	01/02/2014	02/02/2014	Act. HH12/2150537
1413843	ROAD FLOODED - OHH 20342800, FLOODING (Enquiry 1862598)	GARDENERS COTTAGE TO LAY COURT. B1368.	Emergency response (2 hour)	Job Completed	01/02/2014	01/02/2014	Act. HH12/2150585
1442226	TOB - 1 sqm patch	Hare Street Road at Alwlich Hall Farm entrance	Permanent repair (14 days)	Job Completed	10/04/2014	14/04/2014	Act. HH12/2180027
1442236	TOB - 6 sqm patching, 2 areas	Outside house 52 and 72	Permanent repair (14 days)	Job Completed	10/04/2014	15/04/2014	Act. HH12/2180033
1448893	TOB - 02/05/2014 @ 18:13; 3xP/Holes (marked)	Between Alswick Farm to Mill Cottages - at green gates where flowers are on the tree.	Urgent response (24 hour)	Job Comp Further Work Closed	01/05/2014	02/05/2014	Act. HH12/2187813
1448894	TOB - 02/05/2014 @ 18:21; 1xP/hole	Between Mill Cottages and Derestriction signs	Urgent response (24 hour)	Job Comp Further Work Closed	01/05/2014	02/05/2014	Act. HH12/2187814
1507138	worn road markings (RMMIB:Non-Regulatory Worn 30%)	various points along section	CAT2 Medium	Referred to LNT	02/12/2014	24/02/2015	Est.
1507139	failed wearing c/w (CWCKB:Crcks Like To Frm PThole)	various points along section	CAT2 Medium	Referred to LNT	02/12/2014	24/02/2015	Est.
1516373	failed wearing c/w (CWCKB:Crcks Like To Frm PThole)	various points along section	CAT2 Medium	Referred to LNT	05/01/2015	30/03/2015	Est.
1528125	06/02@1632 - MUD ON ROAD OR CYCLEWAY - Taylor Wimpy are based on a site on Hare street road, their vehicles are causing a lot of mud along the road. needs urgent attention (Enquiry 1969648)	Hare Street Road,,,Buntingford,	Urgent response (24 hour)	Job Completed	06/02/2015	06/02/2015	Act. HH12/2269949

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	10.00	Road No. - Locn.: B1038/20 - Pipkin Drive to Alswick Hall Farm track	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1538640	04/03@14433 - make safe pothole in c/w marked (CWPFA:PTHole >40Mm Prity On WO)	nr house no 74 opposite entrance to building site	Urgent response (24 hour)	Job Completed	03/03/2015	04/03/2015	Act. HH12/2280387
1546294	02/04 - MUD ON ROAD OR CYCLEWAY - Significant mud on road - slippery due to rain. Site is a development site but development has NOT commenced - they are digging the surface of an existing farm access. No LPA control. (Enquiry 1985398)	Near Mill Cottages	Permanent repair (7 days)	Job Completed	27/03/2015	01/04/2015	Act. HH12/2287712
1547755	03/04@0934 - make safe 2 potholes in c/w marked (CWPFA:PTHole >40Mm Prity On WO)	at green gates nr public footpath 34	Urgent response (24 hour)	Job Completed	02/04/2015	02/04/2015	Act. HH12/2288971
1554350	13/05 - POTHOLE - Large pothole, roughly the size of a small kitchen table, close to the current temporary traffic light placement. When travelling East/West the light positions guide traffic towards the pothole and may cause an injury. (Enquiry 1992585)	Hare Street Road,,,Buntingford,	Permanent repair (14 days)	Job Completed	29/04/2015	30/04/2015	Act. HH12/2294962
1562788	OOHE - 3245925. TEMP RDWK TRAFFIC SIGNALS PROB - All of the lights are not working. The informant says this happens on quite a regular basis. (Enquiry 2000720)	On the Junction with Station road - maybe a little further up	Emergency response (2 hour)	Job Comp Further Work Closed	10/06/2015	07/06/2015	Act. HH12/2303005
1634069	1/4/2016 1 sqm c/w patch marked (60 mph section stop and go might be needed) [cf] (CWOTH:C/Way Other)	appropriate 30 metres from hayley hill ditch at green gates in field or meridian bollard	Permanent repair (20 days)	Job Completed	02/03/2016	03/03/2016	Act. HH12/2367735
1652604	2/6/2016 1 sqm c/w patch marked (30 mph section) [cf] (CWOTH:C/Way Other)	j/w pipkin drive	Permanent repair (20 days)	Job Completed	04/05/2016	09/05/2016	Act. HH12/2385214
1653568	***EMERGENCY*** Due time 19:25 SPILLAGE, DEBRIS OR SHED LOADS - Pollution coming from the highway drainage system into the river. B1038 Between Access Road To Alswick Hall Farm And Junction With B1368 (Enquiry 2094951)	Hare Street Road,,,Buntingford, Road speed limit: .	Emergency response (2 hour)	Job Completed	08/05/2016	08/05/2016	Act. HH12/2386491

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	10.00	Road No. - Locn.: B1038/20 - Pipkin Drive to Alswick Hall Farm track	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1653627	Due 09/05 by 12.12. ****EMERGENCY**** SPILLAGE, DEBRIS OR SHED LOADS - Oil has got in to the drainage system; Tony Wymer from the Enviroment Agency has asked that he is contacted when someone is going to attend; 07747756497 (Enquiry 2095067)	Near to Mill Cottages. The Enviroment Agency has asked that they are contacted when someone is going to attend; [REDACTED]	Emergency response (2 hour)	Job Completed	09/05/2016	09/05/2016	Act. HH12/2386552
1659034	30/6/2016 1/2 sqm carriageway patch marked 60 mph section give and take needed) ( cf ) (CWOTH:C/Way Other)	Approximately 30 metres from pippin drive	Permanent repair (20 days)	Job Completed	02/06/2016	07/06/2016	Act. HH12/2391460
1659035	30/6/2016 2 sqm carriageway patching 5 areas marked 60 mph section give and take needed) ( cf ) (CWOTH:C/Way Other)	Opposite green gates at field entrances	Permanent repair (20 days)	Job Completed	02/06/2016	07/06/2016	Act. HH12/2391459
1665036	Damaged double BT frame in carriageway marked (CGCBC:Damaged)	Alswick hall entrance	Permanent repair (14 days)	zRepaired/Replaced	05/07/2016	19/07/2016	Est.
1693476	08/12 - XYZ LP *Stop/Go* Carriageway patch 0.9 x 0.6. (Enquiry 2143419) (CWDPA:Trnch Lvl>40Mm Prty OnWo)	Hare Street Road,,,Buntingford, pippin drive.	Urgent Response (5 days)	Job Completed	01/12/2016	02/12/2016	Act. HH12/2432408
1693490	2 failed utility reinstatements in carriageway (ringway will be making safe) (CWOTH:C/Way Other)	Junction with pippin drive	Permanent repair (14 days)	zRepaired/Replaced	01/12/2016	15/12/2016	Est.
1693491	2/12/2016 12:20 Make safe ONLY 2 potholes in failed utility reinstatements marked ( 30 mph section stop and go needed) ( cf ) (CWOTH:C/Way Other)	Junction with pippin drive	Urgent response (24 hour)	Job Comp Further Work Closed	01/12/2016	02/12/2016	Act. HH12/2432441
1704091	26/01 13.20 ***EMERGENCY*** IC/DRAIN MISSING/BROKEN/LOOSE - There are two different manhole covers that have collapsed on the edge of the road here and this is dangerous. It has been reported by East Herts Council, Building Control Department today. (Enquiry 2157869)	Hare Street Road,,,Buntingford,	Emergency response (2 hour)	Job Completed	26/01/2017	26/01/2017	Act. HH12/2444766

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	10.00	Road No. - Locn.: B1038/20 - Pipkin Drive to Alswick Hall Farm track	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1705758	9/2/2017 Make safe 1 pothole in failed utility trench in carriageway marked 30 mph section give and take (cf ) (CWOTH:C/Way Other)	Junction with pipkin drive	Urgent Response (5 days)	Job Completed	02/02/2017	09/02/2017	Act. HH12/2446412
1705759	Failed utility reinstatement (pothole has been made safe) (CWOTH:C/Way Other)	Junction with pipkins drive	Permanent repair (14 days)	zJob Accepted/Scheduled	02/02/2017	16/02/2017	Est.
1706037	04/02@1014 - XYZ Ip, culvert manhole without top, needs 900 x 600 slab replaced. TM, give and take (Enquiry 2160328) (CGCBA:Missing Or Broken Item)	Hare Street Road,,,Buntingford, on bend before alswick cottages.	Urgent response (24 hour)	Job Completed	03/02/2017	03/02/2017	Act. HH12/2446663
1707205	**** NRSWA MAKE SAFE 1705759 **** Pothole to be made safe. approx 0.5 x 0.3 Marked in yellow paint. NRSWA investigating. Inspector: Keith George 07436 807 855	Junction with pipkins drive	Planned	Job Completed	08/02/2017	09/02/2017	Act. HH12/2447803
1712828	30/3/2017 1 sqm carriageway patch marked ( 0.9 x 0.8) ( 60 mph section stop and go needed) ( cf ) (CWOTH:C/Way Other)	At green gates on field and tree with flowers on it	Permanent repair (20 days)	Job Completed	02/03/2017	20/03/2017	Act. HH12/2453149
1712829	30/3/2017 1 sqm carriageway patch marked ( 1.8 x 0.8) ( 60 mph section stop and go needed) ( cf ) (CWOTH:C/Way Other)	25 metres from junction with pipkin drive	Permanent repair (20 days)	Job Comp Further Work Closed	02/03/2017	21/03/2017	Act. HH12/2453150
1736569	11/7/2017 2 sqm carriageway patching in three areas marked ( 1.0 x 0.9 ) + ( 1.5 x0.3 ) + ( 2.3 x 0.4 ) 60mph section stop and go needed ( cf) (CWOTH:C/Way Other)	40, 15 and 10 metres before footpath post number 34 and 025 at green gates	Urgent Response (5 days)	Job Completed	04/07/2017	06/07/2017	Act. HH12/2473664
1757940	07/11 11.25 ***EMERGENCY*** IC/DRAIN MISSING/BROKEN/LOOSE - Gully lid has been broken in RTC and left large hole (Enquiry 2222730)	between Alswick barns and cottages	Emergency response (2 hour)	Job Comp Further Work Closed	07/11/2017	07/11/2017	Act. HH12/2494134
1758740	Gully 600 x 450 heavy duty iron frame required - crew have been able to put gully lid back into place (Enquiry 2222730)	between Alswick barns and cottages	CAT2 High	Referred to LNT	10/11/2017	08/12/2017	Est.



Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
<b>Section:</b>	10.00	<b>Road No. - Locn.:</b> B1038/20 - Pipkin Drive to Alswick Hall Farm track		<b>C/Way Type:</b> HW:Network		<b>Area:</b> E: 3-East Herts District	
1777259	09.02.2018 09.05 *** Pemanate carriageway patch (1.2x 1) marked 60mph stop an go required ( RN ) (CPH3-C/way pothole-5 Days)		Urgent Response (5 days)	Job Completed	02/02/2018	06/02/2018	Act. HH12/2512813
<b>Section:</b>	20.00	<b>Road No. - Locn.:</b> B1038/10 - C170 Station Road to Pipkin Drive		<b>C/Way Type:</b> HW:Network		<b>Area:</b> E: 3-East Herts District	
782684	Temp: Repair With Cold Material Perm: Patch Repair - Refer Client Comments: Observation Description - POTHOLE >=40MM DEEP// Action Type - PERMANENT - marked// Defect Description - 2 potholes opp house no 70 and 62// Action Details - // FAULT LOCATION <C170 STATION RD TO DEREST NR `OAKDENE`>		zCat 2 Structural (5 day)	zJob Superseded	03/03/2009		
838265	Enquiry No: 1452682 PROB: Unlit Bollards Damaged/missing Comments: PROBLEM DESCRIPTION: UNLIT BOLLARDS DAMAGED/MISSINGCSR COMMENTS:		zCat 2 Structural (5 day)	zJob Superseded	18/08/2009		
842760	Perm: Patch - Bitmac Only Comments: This work order has superseded the following existing work order(s): 834183 // Observation Description - POTHOLE >=40MM DEEP// Action Type - PERMANENT - marked// Defect Description - 2 potholes j/w sunnyhills 14-24 & bridgefoot// Action Details - // FAULT LOCATION <C170 STATION RD TO DEREST NR `OAKDENE`>		zCat 2 Structural (5 day)	zJob Superseded	02/09/2009		

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
<b>Section:</b> 20.00		<b>Road No. - Locn.:</b> B1038/10 - C170 Station Road to Pipkin Drive		<b>C/Way Type:</b> HW:Network		<b>Area:</b> E: 3-East Herts District	
869220	This work order has superseded the following existing work order(s): 865574 // Observation Description - POTHOLE >=40MM DEEP// Action Type - PERMANENT - marked// Defect Description - 2 1/2 sqm patching at 2 areas o/s back ent to co op// Action Details - // FAULT LOCATION <C170 STATION RD TO DEREST NR 'OAKDENE'>		zCat 1 7 Day Permanent Repair	Possible Duplicate Job	02/02/2010	09/06/2017	Act. HH02/869220
884964	This work order has superseded the following existing work order(s): 881983 // Observation Description - REGULATORY WORN 30%// Action Type - PERMANENT - logged// Defect Description - various points along section// Action Details - // FAULT LOCATION <C170 STATION RD TO DEREST NR 'OAKDENE'>		zCat 2 Structural (5 day)	zJob Superseded	02/06/2010		
1356392	To be completed by: 06/08/2013 @ 12:28; 1 pothole in c/w [marked] (CWPHA:PT hole >40Mm Prity On WO)	near bridgefoot cottages by bt pole no 1	Urgent response (24 hour)	Job Completed	05/08/2013	06/08/2013	Act. HH12/2089943
1391430	04/12/2013 @ 12:24; pothole in c/w at frame in c/w (CWPHA:PT hole >40Mm Prity On WO)	opp coop good in entrance	Urgent response (24 hour)	Job Completed	03/12/2013	04/12/2013	Act. HH12/2128062
1391431	loose/rocking/worn sewer frame in c/w and failed trench approximately 5 sq metres (CGCBA:Missing Or Broken Item)	opp co-op goods in entrance	Permanent repair (14 days)	zRepaired/Replaced	03/12/2013	17/12/2013	Est.
1423993	05/03/2014 @ 11:43; POTHOLE - Out side no 58 hare street road next to inspection cover (Enquiry 1873456)	O/side No.58	Permanent repair (14 days)	Job Completed	24/02/2014	07/03/2014	Act. HH12/2160564
1428035	5/3/14 @ 12.44 1 pothole in c/w [marked] (CWPHA:PT hole >40Mm Prity On WO)	o/s house no 58	Urgent response (24 hour)	Job Completed	04/03/2014	06/03/2014	Act. HH12/2164953
1428036	failed wearing along section (CWCKB:Crcks Like To Frm PThole)	various points along section	CAT2 Medium	Job Cancelled	04/03/2014	27/05/2014	Est.
1428037	road markings worn (RMMIA:Regulatory Worn 30%)	various points along section	CAT2 Medium	Job Cancelled	04/03/2014	27/05/2014	Est.

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	20.00	Road No. - Locn.: B1038/10 - C170 Station Road to Pipkin Drive	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1429416	*****15/2 09.58*****EMERGENCY - TREE OR BRANCH FALLEN - Tree fallen across c/w - 20405308 (Enquiry 1879851)		Emergency response (2 hour)	Job Completed	07/03/2014	15/02/2014	Act. HH12/2166114
1440113	05/04/2014 @ 09:44; 2 potholes in c/w stop and go needed marked (CWPHA:PTHole >40Mm Prity On WO)	outside house nos 72 and 30	Urgent response (24 hour)	Job Completed	04/04/2014	07/04/2014	Act. HH12/2177820
1448895	TOB - 02/05/2014 @ 18:25; 1xP/hole	O/side No.30 at frame (marked)	Urgent response (24 hour)	Job Comp Further Work Closed	01/05/2014	02/05/2014	Act. HH12/2187815
1449078	1 sqm c/w patch marked (stop and go needed) (CWPHA:PTHole >40Mm Prity On WO)	j/w bridge foot	Permanent repair (7 days)	Job Completed	02/05/2014	09/05/2014	Act. HH12/2188153
1466195	failed wearing c/w (CWCKB:Crcks Like To Frm PTHole)	various points along section	CAT2 Low	Referred to LNT	02/07/2014	02/01/2015	Est.
1466196	worn road markings (RMMIB:Non-Regulatory Worn 30%)	various points along section	CAT2 Medium	Referred to LNT	02/07/2014	24/09/2014	Est.
1484820	Street lighting design work - review	No works	Planned	Job Completed	17/09/2014	28/01/2015	Act. HH12/2230658
1484822	Street lighting design work - review	No works	Planned	Job Cancelled	17/09/2014	01/01/2001	Est. HH12/2230660
1507140	failed uneven c/w (CWCKB:Crcks Like To Frm PTHole)	various points along section	CAT2 Medium	Referred to LNT	02/12/2014	24/02/2015	Est.
1507141	worn road markings (RMMIB:Non-Regulatory Worn 30%)	various points along section	CAT2 Medium	Referred to LNT	02/12/2014	24/02/2015	Est.
1507142	sunken untility frames in c/w (CGOTH:Cover/Grating Other)	various points along section	CAT2 Medium	Unable to Locate	02/12/2014	03/12/2014	Act.
1516374	failed wearing c/w (CWCKB:Crcks Like To Frm PTHole)	various points along section	CAT2 Medium	Referred to LNT	05/01/2015	30/03/2015	Est.
1526820	17/2/2015 1 sqm c/w patch not marked 30 mph section (PARKING CONES NEEDED TO COMPLETE WORK) (CWPHA:PTHole >40Mm Prity On WO)	o/s house no 5 opposite coop rear entrance (PARKING CONES NEEDED TO COMPLETE WORK)	Permanent repair (14 days)	Job Completed	03/02/2015	16/02/2015	Act. HH12/2268132

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	20.00	Road No. - Locn.: B1038/10 - C170 Station Road to Pipkin Drive	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1529412	11/02@0824 - MUD ON ROAD OR CYCLEWAY - Mud on road outside 60-74 Hare Street Road. Sweeper employed but significant deposits adjacent to the driveways of these properties (no footpath). Clean-up cannot be enforced by District Council. (Enquiry 1970834)	Hare Street Road,,,Buntingford,	Urgent response (24 hour)	Job Completed	10/02/2015	10/02/2015	Act. HH12/2271419
1545721	27/03@1057 - MUD ON ROAD OR CYCLEWAY - Road surface very muddy from lorries attending Taylor Wimpey Site, Hare Street Road Buntingford. (Enquiry 1985278)	Hare Street Road,,,Buntingford, Road speed limit: .	Urgent response (24 hour)	Job Completed	26/03/2015	27/03/2015	Act. HH12/2287146
1553864	29/04@1009 - POTHOLE - Large hole over 4ft long on carriage way. Needs immediate attention as a danger to all road users (Enquiry 1992266)	Hare Street Road,,,Buntingford, Road speed limit: .	Urgent response (24 hour)	Job Cancelled	28/04/2015	28/04/2015	Est. HH12/2294455
1556283	Due 10/05 12.36 ****EMERGENCY**** TEMP RDWK TRAFFIC SIGNALS PROB - OOH 3215414 - Temp lights not working (Enquiry 1994514)		Emergency response (2 hour)	Job Comp Further Work Closed	11/05/2015	10/05/2015	Act. HH12/2296731
1558065	19/05@1059 - POTHOLE - Big pothole between Co op and Jolly sailors pub. A lady has complained that she has fallen over while crossing the road after tripping over this pothole. (Enquiry 1996014)	Hare Street Road,,,Buntingford, Road speed limit: .	Urgent response (24 hour)	Job Completed	18/05/2015	19/05/2015	Act. HH12/2298373
1559730	OOHE - 3231843 TEMP RDWK TRAFFIC SIGNALS PROB - Temporary traffic lights are not working (Enquiry 1997255)	On the blind bend next to the new builds.	Emergency response (2 hour)	Job Comp Further Work Closed	26/05/2015	25/05/2015	Act. HH12/2299846
1578656	Due 26/08 by 15.08. ****EMERGENCY**** ROAD FLOODED - Water is coming up through the tarmac in the road and members of the public are worried that it might collapse. Police are on site and believe it to be the start of a sink hole and will be putting on a road closure. (Enquiry 2016535)	o/s Jolly Sailors pub j/w Station Road	Emergency response (2 hour)	Job Comp Further Work Closed	26/08/2015	26/08/2015	Act. HH12/2316449

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	20.00	Road No. - Locn.: B1038/10 - C170 Station Road to Pipkin Drive	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1579587	****NRSWA MAKE SAFE - 2017421**** Make safe depression in road - tarmac fill	opp junction with Union Terrace	Emergency response (2 hour)	Job Completed	28/08/2015	28/08/2015	Act. HH12/2317175
1579612	01/09@1400 - POTHOLE - very deep pothole in c/w. this needs attention asap. (within 24 hours) approximate size is 1.2m X 1m x 100mm. Side of Co-op near the jolly sailors. (Enquiry 2017707)	Hare Street Road,,Buntingford, Road speed limit: .	Urgent response (24 hour)	Job Completed	31/08/2015	01/09/2015	Act. HH12/2317197
1579773	15/09 - 3 sqm carriageway patch. Stop/Go required	opp junction with Union Terrace	Permanent repair (14 days)	Job Cancelled	01/09/2015	10/09/2015	Est. HH12/2317328
1579924	15/09 - New flitop gully required	opposite number 4 Hare St Rd	Permanent repair (14 days)	Job Completed	01/09/2015	14/09/2015	Act. HH12/2317467
1580692	OOH - 3329750. FW IC/DRAIN MISS/BROKEN/LOOSE - missing flip top gully in foot way. busy section of foot way (Enquiry 2017702)	Hare Street Road,,Buntingford, Road speed limit: .	Emergency response (2 hour)	Job Comp Further Work Closed	04/09/2015	31/08/2015	Act. HH12/2318181
1583351	** Follow on due 29/09 ** New flip top gully needed (Enquiry 2017702)	opp 4	Permanent repair (14 days)	Job Cancelled	15/09/2015	15/09/2015	Est. HH12/2320519
1589436	**8/10 12:22**MUD ON ROAD OR CYCLEWAY - Large amount of mud on westbound carriageway of Hare Street Road from site entrance down. (Enquiry 2026747)	on westbound carriageway of Hare Street Road from site entrance down.	Urgent response (24 hour)	Job Completed	07/10/2015	07/10/2015	Act. HH12/2325665
1597511	17/11/2015 2 sqm c/w patching 2 areas marked (30 mph section) [cf] (CWOTH:C/Way Other)	s/o co-op j/w union terrace	Permanent repair (14 days)	Job Completed	03/11/2015	12/11/2015	Act. HH12/2334003
1597846	05/11@1103 - ROAD FLOODED - (Possible pothole at this location) Half of the carriageway is flooded hare street road buntingford - with water, this issue is on a junction, concerns of this as the issue is located on the junction and may cause an accident as people may try to avoid water on road. (Enquiry 2034635)	Hare Street Road,,Buntingford,	Urgent response (24 hour)	Job Completed	04/11/2015	05/11/2015	Act. HH12/2334222
1614628	2/2/2016 3 sqm c/w patching 2 areas marked (30 mph section) stop and go might be needed) [cf] (CWOTH:C/Way Other)	j/w union terrace	Permanent repair (20 days)	Job Comp Further Work Closed	05/01/2016	07/01/2016	Act. HH12/2349799

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	20.00	Road No. - Locn.: B1038/10 - C170 Station Road to Pipkin Drive	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1617069	13/01@0713 - POTHOLE - Pothole in c/w junction with union terrace (Enquiry 2057398)	Hare Street Road,,,Buntingford, Road speed limit: .	Urgent response (24 hour)	Job Completed	12/01/2016	12/01/2016	Act. HH12/2352001
1620467	21/01 11:48 POTHOLE - At least 3 potholes (Enquiry 2061003)	Westbound lane of Hare Street Road just East of the Jolly Sailors Public House	Urgent response (24 hour)	Job Completed	20/01/2016	21/01/2016	Act. HH12/2354802
1634070	1/4/2016 1 sqm c/w patch not marked (30 mph section) [cf] (CWOTH:C/Way Other)	j/w union terrace o/s co-op	Permanent repair (20 days)	Job Completed	02/03/2016	03/03/2016	Act. HH12/2367736
1637020	*****EMERGENCY***** Due Time 20:31 SPILLAGE, DEBRIS OR SHED LOADS - Hit and Run accident - fluid on the road (Enquiry 2080033)	outside the Jolly Sailors on Hare Street	Emergency response (2 hour)	Job Completed	10/03/2016	10/03/2016	Act. HH12/2370248
1637243	12/04 3 sqm c/w patching 2 areas marked (30 mph section) stop and go might be needed) [cf] (CWOTH:C/Way Other)	j/w union terrace	Permanent repair (20 days)	Job Completed	11/03/2016	26/04/2016	Act. HH12/2370466
1643181	failed uneven utility reinstatement in c/w (CWOTH:C/Way Other)	j/w union terrace	Permanent repair (14 days)	Referred to 3rd Party	05/04/2016	19/04/2016	Est.
1685815	CAT4 2016/17 Footway construction works	DM,In the vicinity of No11	Planned	Job Comp Further Wrk required	01/11/2016	07/11/2016	Act. HH12/2424095
1693493	2/1/2017 1 sqm carriageway patch marked ( 0.6x 0.6) ( 30 mph section give and take needed) ( cf ) (CWOTH:C/Way Other)	Opposite house number 62	Permanent repair (20 days)	No fault found	01/12/2016	02/12/2016	Act. HH12/2432455
1699435	09/01 10.14 ***EMERGENCY*** RTI SURF DAMAGE FIRE/SPILLAGE - oil spill - lots of oil following RTC (Enquiry 2151881)	Nearly the whole length of Hare road up to the Co-Op	Emergency response (2 hour)	Job Completed	09/01/2017	09/01/2017	Act. HH12/2439789
1703015	30/01 - XYZ Ip, carriageway pothole, 0.8 x 0.3 around manhole cover, Tm, give and take. (Enquiry 2156149) (CWPHA:PTHole >40Mm Prity On WO)	Hare Street Road,,,Buntingford, just before Bridgefoot.	Urgent Response (5 days)	Job Comp Further Work Closed	23/01/2017	26/01/2017	Act. HH12/2443702
1704583	27/02 - *Perm repair required, previously made safe* XYZ Ip, carriageway pothole, 0.8 x 0.3 around manhole cover, Tm, Stop/Go, No parking cones. (Enquiry 2156149) (CWPHA:PTHole >40Mm Prity On WO)	Hare Street Road,,,Buntingford, just before Bridgefoot.	Permanent repair (20 days)	Job Completed	30/01/2017	21/02/2017	Act. HH12/2445262

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Section:	20.00	Road No. - Locn.: B1038/10 - C170 Station Road to Pipkin Drive	C/Way Type: HW:Network		Area: E: 3-East Herts District		
1712831	30/3/2017 1 sqm carriageway patch marked ( 0.6 x 0.6 ) ( 30 mph section stop and go needed ) ( cf ) (CWOTH:C/Way Other)	Junction with union terrace	Permanent repair (20 days)	Job Completed	02/03/2017	22/03/2017	Act. HH12/2453205
1712832	30/3/2017 2.5 sqm carriageway patch marked (2m x 1.1) ( 30 mph section stop and go needed and NO PARKING CONES ) ( cf ) (CWOTH:C/Way Other)	Opposite co-op delivery entrance	Permanent repair (20 days)	Job Completed	02/03/2017	22/03/2017	Act. HH12/2453208
1717387	CCTV/Vactor Drainage Investigation	o/s Jolly Sailor PH	CAT2 High	Job Cancelled	21/03/2017	28/03/2017	Est. HH12/2457406
1719743	CCTV/Vactor Drainage Investigation	o/s Jolly Sailor PH	CAT2 High	Job Comp Further Wrk required	30/03/2017	04/07/2017	Act. HH12/2459637
1721111	***EMERGENCY*** DUE TIME 07:44 TEMP RDWK TRAFFIC SIGNALS PROB - temporary lights knocked down and in road ref FM05559100498 (Enquiry 2180689)	nr Co-Op	Emergency response (2 hour)	Job Comp Further Work Closed	08/04/2017	08/04/2017	Act. HH12/2460960
1732811	CAT4 planned CWY180090-1 CSI 2017-18 Hare Street Road Local Resurfacing, PM [REDACTED]	Hare Street Road	Planned	Job Raised	24/05/2017	15/06/2017	Est.
1739638	***EMERGE CNY DUE AT 13:40***PED GDRAIL DAMAGED OR MISSING - Ped rails been pulled off leaving sharp edges (Enquiry 2200390)		Emergency response (2 hour)	Job Completed	23/07/2017	23/07/2017	Act. HH12/2476440
1742558	Investigate potential 3rd party damage to highway drainage	o/s Jolly Sailor	Planned	Job Completed	09/08/2017	01/09/2017	Act. HH12/2479259
1744071	Due 18/08 14.58 *** EMERGENCY *** ROADWORKS SIGNS AND BARRIERS - public have pushed all the barriers to the side to open one end of the junction. It needs to be closed off again as there is currently 3 way traffic but only controlled under 2 way lights. (Enquiry 2205527)	j/w High Street o/s The Sailors	Emergency response (2 hour)	Job Completed	18/08/2017	18/08/2017	Act. HH12/2480719
1755095	31.10.2017 - 10.38***** XYZ Ip, carriageway pothole, 2.3 x 0.6, (perm). Tm, two way lights. With chapter 8 set up. (Enquiry 2219393) (CPH3-C/way pothole-5 Days)	Hare Street Road,Buntingford, outside no.58	Urgent Response (5 days)	Job Completed	24/10/2017	26/10/2017	Act. HH12/2491347

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
<b>Section:</b> 20.00		<b>Road No. - Locn.:</b> B1038/10 - C170 Station Road to Pipkin Drive		<b>C/Way Type:</b> HW:Network		<b>Area:</b> E: 3-East Herts District	
1765261	***EMERGENCY*** Due time 20:38 TREE OR BRANCH FALLEN - 2 trees fallen into carriageway (Enquiry 2231835)	Approximately 1/2 way down road	Emergency response (2 hour)	Job Completed	11/12/2017	11/12/2017	Act. HH12/2501214
1777266	09.02.2018 09.16 *** Pemanate carriageway patch (1.2x 1) marked 30mph stop an go required ( RN ) (CPH3-C/way pothole-5 Days)	Opposite union terrace	Urgent Response (5 days)	Job Completed	02/02/2018	06/02/2018	Act. HH12/2512888
<b>Section:</b> 2,501.00		<b>Road No. - Locn.:</b> B1038/10/M - Medium Priority Footway		<b>C/Way Type:</b> HW:Footway		<b>Area:</b> E: 3-East Herts District	
1498548	08/11/2014 @ 12:53; FLY TIPPING ON-ROAD - (Enquiry 1940921)	Opp. junc. w. Bridgefoot	Urgent response (24 hour)	Job Completed	07/11/2014	08/11/2014	Act. HH12/2245212
1564813	Due 22/06 11.11 **** EMERGENCY **** FW IC/DRAIN MISS/BROKEN/LOOSE - On Hare Street Road (Enquiry 2002716)	opposite rear entrance to Supermarket	Emergency response (2 hour)	Job Comp Further Work Closed	22/06/2015	22/06/2015	Act. HH12/2304888
1565529	** Follow on due 08/07 ** New flip top cover required.cover size 19 inches by 13 inches (Enquiry 2002716)	opposite rear entrance to Supermarket	Permanent repair (14 days)	Job Cancelled	24/06/2015	06/07/2015	Est. HH12/2305477
1580258	MANHOLE / DRAIN COVER SUNKEN - I am extremely unhappy that i was walking up to my mother-in-laws when my 5 year old boy stepped on what normal would have been a drain cover fell through and bashed his shin... basically what has happened is you have removed the drain cover and covered it with a slab of concrete which has snapped when he trod on it and it fell inwards... if i was coming home after a drink from the bbq i was going to and done this i could quite easily have broken my leg seeing as i am a lot heavier. luckily no serious damage has happened to my childs shin apart from some bruising, but could have been a lot worse. just imagine if it was an eldly person espically as it was opposite their homes. (Enquiry 2017617)	Hare Street Road,,,Buntingford, Road speed limit: .	Permanent repair (7 days)	Job Cancelled	02/09/2015	06/09/2015	Est.



Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
<b>Section:</b> 2,501.00		<b>Road No. - Locn.:</b> B1038/10/M - Medium Priority Footway		<b>C/Way Type:</b> HW:Footway		<b>Area:</b> E: 3-East Herts District	
1591883	21/10 - VERG ENCROACHMENT ONTO FOOTWAY - Last houses up Hare Street Road in Buntingford before the new homes being built at Newtown. (Enquiry 2028833)	Hare Street Road,,,Buntingford, Road speed limit: .	Permanent repair (7 days)	Job Completed	15/10/2015	20/10/2015	Act. HH12/2328162
1656634	20/05@1423 - SHELTER DAMAGED - The bus Shelter is oppisite the Crown Public House thats all the caller gave me and that there was wires exposed (Enquiry 2097411)	Hare Street Road,,,Buntingford, Road speed limit: .	Urgent response (24 hour)	Job Completed	20/05/2016	20/05/2016	Act. HH12/2388877
1665144	2/8/2016 Damaged 6x5 bull nose kerb (put in new) (KCAMA:Dmgd Adjacent To Footway)	Entrance to co-op loading bay	Permanent repair (20 days)	Job Completed	05/07/2016	12/07/2016	Act. HH12/2398412
<b>Section:</b> 14,007.00		<b>Road No. - Locn.:</b> B1038/10 - Bridgefoot House Union Terrace Buntingford		<b>C/Way Type:</b> HW:Gully		<b>Area:</b> E: 3-East Herts District	
1675313	Gully dig out	5x1	Planned	Job Completed	08/09/2016	15/12/2016	Act. HH12/2435207
1675315	Gully dig out	5x3	Planned	Job Completed	08/09/2016	15/12/2016	Act. HH12/2435205
<b>Section:</b> 14,008.00		<b>Road No. - Locn.:</b> B1038/10 - 4 Hare Street Road Buntingford		<b>C/Way Type:</b> HW:Gully		<b>Area:</b> E: 3-East Herts District	
1675314	Gully dig out	5x2	Planned	Job Completed	08/09/2016	15/12/2016	Act. HH12/2435206
1675316	Gully dig out	5x4	Planned	Job Completed	08/09/2016	15/12/2016	Act. HH12/2435204
<b>Section:</b> 14,009.00		<b>Road No. - Locn.:</b> B1038/10 - 2 Hare Street Road Buntingford		<b>C/Way Type:</b> HW:Gully		<b>Area:</b> E: 3-East Herts District	
1675312	Gully dig out	8	Planned	Job Completed	08/09/2016	15/12/2016	Act. HH12/2435208
<b>Section:</b> 14,010.00		<b>Road No. - Locn.:</b> B1038/10 - 2 Hare Street Road Buntingford		<b>C/Way Type:</b> HW:Gully		<b>Area:</b> E: 3-East Herts District	
1675307	Gully dig out	1,4	Planned	Job Completed	08/09/2016	15/12/2016	Act. HH12/2435210
<b>Section:</b> 14,045.00		<b>Road No. - Locn.:</b> B1038/20 - Hare Street Road Hare Street		<b>C/Way Type:</b> HW:Gully		<b>Area:</b> E: 3-East Herts District	
20026562	(Scheduled Gully Cleaning / DR0 Entire length of road - F517-066 / 45 / Restricted Working - 7:30 to 9:30 Mon-Fri - 15:00 to 19:00 Mon-Fri / DR0 - F517-066 - NE: 3-East Herts District - Braughing / / YES)		Planned	Job Completed	02/07/2013	12/06/2014	Act. HH12/2083686
20062966	(Scheduled Gully Cleaning / DR0 Entire length of road - G517-047 / 45 / Restricted Working - 7:30 to 9:30 Mon-Fri - 15:00 to 19:00 Mon-Fri / DR0 - G517-066 - NE: 3-East Herts District - Braughing / / YES)		Planned	Job Completed	25/02/2014	21/09/2015	Act. HH12/2319975

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
<b>Section:</b> 14,045.00		<b>Road No. - Locn.:</b> B1038/20 - Hare Street Road Hare Street		<b>C/Way Type:</b> HW:Gully		<b>Area:</b> E: 3-East Herts District	
20077607	(Scheduled Gully Cleaning / DR0 - IN517-047 / 45 / Restricted Working - 7:30 to 9:30 Mon-Fri - 15:00 to 19:00 Mon-Fri / DR0 - G517-066 - NE: 3-East Herts District - Braughing / / YES)	Entire length of road	Planned	Job Cancelled	25/02/2014	13/10/2015	Est.
20096365	(Scheduled Gully Cleaning / DR0 - H517-SG04 / 45 / Restricted Working - 7:30 to 9:30 Mon-Fri - 15:00 to 19:00 Mon-Fri / / / YES)	Entire length of road	Planned	Job Completed	13/09/2016	21/10/2016	Act. HH12/2416997
<b>Section:</b> 1,000,030.00		<b>Road No. - Locn.:</b> B1038-LP-0030 - Flanking Union Terrace : THIS LIGHT IS NOT		<b>C/Way Type:</b> SL:Street Light		<b>Area:</b> E: 3-East Herts District	
20068896	(6B - OUT OF LIGHTING / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	Flanking Union Terrace : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Raised	28/11/2014	26/12/2014	Est.
<b>Section:</b> 1,000,032.00		<b>Road No. - Locn.:</b> B1038-LP-0032 - O/s Carters Close : THIS LIGHT IS NOT OPE		<b>C/Way Type:</b> SL:Street Light		<b>Area:</b> E: 3-East Herts District	
1303677	Street Light Out Or Flickering - refer to report 201004859453 - THIS IS NOT CLOSED as it is NOT WORKING. We will only accept a closed status if it has been repaired (Enquiry 1756097)	, Hare Street Road, Buntingford	Permanent repair (20 days)	zRepaired/Replaced	31/01/2013	08/02/2013	Act. HH12/2028330
<b>Section:</b> 1,000,034.00		<b>Road No. - Locn.:</b> B1038-LP-0034 - Flank Sunny Hill (east). : THIS LIGHT IS NOT		<b>C/Way Type:</b> SL:Street Light		<b>Area:</b> E: 3-East Herts District	
20068897	(6B - OUT OF LIGHTING / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	Flank Sunny Hill (east). : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	28/11/2014	13/01/2015	Act. HH12/2251998
<b>Section:</b> 1,000,035.00		<b>Road No. - Locn.:</b> B1038-LP-0035 - Opp 38 Hare Street Road : THIS LIGHT IS NC		<b>C/Way Type:</b> SL:Street Light		<b>Area:</b> E: 3-East Herts District	
20056322	(DAY BURNER / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	Opp 38 Hare Street Road : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	18/07/2014	28/07/2014	Act. HH12/2213370
<b>Section:</b> 1,000,036.00		<b>Road No. - Locn.:</b> B1038-LP-0036 - Opp Sunny Hill (east) : THIS LIGHT IS NOT C		<b>C/Way Type:</b> SL:Street Light		<b>Area:</b> E: 3-East Herts District	
1308638	P N L cell filled		Permanent repair (20 days)	zRepaired/Replaced	13/02/2013	13/02/2013	Act.

Effective: 09/02/2013 to 09/02/2018  
Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
<b>Section: 1,000,037.00</b>		<b>Road No. - Locn.: B1038-LP-0037 - O/s 1. Hare Street Road. : THIS LIGHT IS NO</b>	<b>C/Way Type: SL:Street Light</b>		<b>Area: E: 3-East Herts District</b>		
1342079	Street Light On During The Day - Hare Street Road,,, Hi Street Light no.37 has two defects.  1.It is on during the day. 2.The plastic light cover is dirty and contains rain water. It could fall onto my vehicle or a pedestrian.  Thank you. (Enquiry 1792549)		Permanent repair (20 days)	Job Completed	03/06/2013	04/06/2013	Act. HH12/2072646
20057462	(6B - DAY BURNER / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	O/s 1. Hare Street Road. : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	26/07/2014	01/08/2014	Act. HH12/2216183
<b>Section: 1,000,038.00</b>		<b>Road No. - Locn.: B1038-LP-0038 - O/s 5. Hare Street Road. : THIS LIGHT IS NO</b>	<b>C/Way Type: SL:Street Light</b>		<b>Area: E: 3-East Herts District</b>		
20058592	(6B - OUT OF LIGHTING / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	O/s 5. Hare Street Road. : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	08/08/2014	13/08/2014	Act. HH12/2219717
20060134	(ABC - OUT OF LIGHTING / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	O/s 5. Hare Street Road. : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	20/08/2014	26/08/2014	Act. HH12/2222553
<b>Section: 1,000,040.00</b>		<b>Road No. - Locn.: B1038-LP-0040 - Opp 70 .hare Street Road : THIS LIGHT IS NC</b>	<b>C/Way Type: SL:Street Light</b>		<b>Area: E: 3-East Herts District</b>		
20034315	(DAY BURNING / DR0 Scout / 1 / / Job raised through night scout report / / YES)	Opp 70 .hare Street Road : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	05/10/2013	17/10/2013	Act. HH12/2106704
20058593	(6B - OUT OF LIGHTING / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	Opp 70 .hare Street Road : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	08/08/2014	13/08/2014	Act. HH12/2219718
20060135	(ABC - OUT OF LIGHTING / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	Opp 70 .hare Street Road : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	20/08/2014	26/08/2014	Act. HH12/2222554
<b>Section: 1,000,041.00</b>		<b>Road No. - Locn.: B1038-LP-0041 - Opp Oakdene. : THIS LIGHT IS NOT OPERA</b>	<b>C/Way Type: SL:Street Light</b>		<b>Area: E: 3-East Herts District</b>		
20033820	(DAY BURNING / DR0 Scout / 1 / / Job raised through night scout report / / YES)	Opp Oakdene. : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	23/09/2013	08/10/2013	Act. HH12/2103840
20034313	(DAY BURNING / DR0 Scout / 1 / / Job raised through night scout report / / YES)	Opp Oakdene. : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	05/10/2013	17/10/2013	Act. HH12/2106701

Effective: 09/02/2013 to 09/02/2018  
 Street: Hare Street Road (12407764)

Display Action Officer: No

### Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
<b>Section:</b> 1,000,041.00		<b>Road No. - Locn.:</b> B1038-LP-0041 - Opp Oakdene. : THIS LIGHT IS NOT OPERA		<b>C/Way Type:</b> SL:Street Light		<b>Area:</b> E: 3-East Herts District	
20034316	(DAY BURNING / DR0 Scout / 1 / / Job raised through night scout report / / YES)	Opp Oakdene. : THIS LIGHT IS NOT OPERATIONAL BETWEEN APPROXIMATELY MIDNIGHT AND 6AM.	Planned	Job Completed	05/10/2013	17/10/2013	Act. HH12/2106706
<b>Section:</b> 1,050,014.00		<b>Road No. - Locn.:</b> B1038-SG-0014 - O/s Garage Hare St Road		<b>C/Way Type:</b> SL:Sign		<b>Area:</b> E: 3-East Herts District	
20060133	(ABC - OUT OF LIGHTING / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	O/s Garage Hare St Road	Planned	Job Completed	20/08/2014	26/08/2014	Act. HH12/2222552
20061982	(6B - OUT OF LIGHTING / DR0 Scout / 0.01 / / Job raised through night scout report / / YES)	O/s Garage Hare St Road	Planned	Job Completed	12/09/2014	21/09/2014	Act. HH12/2229457
<b>Section:</b> 3,002,236.00		<b>Road No. - Locn.:</b> ST0216 - ALSWICK HALL HARE ST.RD,350M W OF ALSWICK		<b>C/Way Type:</b> Culvert (single cell)		<b>Area:</b> E: 3-East Herts District	
1754755	CAT4 17-18 Non-Financial-BRG- Bridge Gang - For Permitting purposes only	Non-Financial – For Permitting Purposes Only	Planned	Job Comp Further Wrk required	23/10/2017	09/11/2017	Act. HH12/2490992