# London Borough of Waltham Forest Air Quality Annual Status Report for 2016 Date of publication: May 2017



This report provides a detailed overview of air quality in the London Borough of Waltham Forest during 2016. It has been produced to meet the requirements of the London Local Air Quality Management statutory process<sup>1</sup>.

# **Contact details**

Ana Ventura – Air Quality Officer Environmental Protection Sycamore House WF Town Hall Complex Forest Rd London E17 4JF

0208 496 3000

\_

<sup>&</sup>lt;sup>1</sup> LLAQM Policy and Technical Guidance 2016 (LLAQM.TG(16)). https://www.london.gov.uk/what-we-do/environment/pollution-and-air-quality/working-boroughs

# **CONTENTS**

| Abb          | reviatio | ns   | 3   |
|--------------|----------|--|-----|
| 1.           | Air Qu   | ality Monitoring   | 5   |
| 1.           | .1 L     | ocations   | 5   |
| 1.           | .2 C     | omparison of Monitoring Results with AQOs  | 7   |
| 2.           | Action   | to Improve Air Quality   | 12  |
| 2.           | .1 A     | ir Quality Action Plan Progress  | 21  |
| 3.           | Planni   | ng Update and Other New Sources of Emissions   | 34  |
| 3.           | .1 N     | ew or significantly changed industrial or other sources  | 35  |
| Арр          | endix A  | Details of Monitoring Site QA/QC   | .35 |
| A.           | .1 A     | utomatic Monitoring Sites  | 35  |
| Α.           | .2 D     | iffusion Tube Quality Assurance / Quality Control  | 35  |
| A.           | .3 A     | djustments to the Ratified Monitoring Data   | 40  |
| Арр          | endix B  | Full Monthly Diffusion Tube Results for 2016   | 41  |
| Boro         | ough     |  | 41  |
| Tabl         | les      |  |     |
| Tabl         | e A.     | Summary of National Air Quality Standards and Objectives   |     |
| Tabl         | e B.     | Details of Automatic Monitoring Sites for 2016   |     |
| Tabl         | e C.     | Details of Non-Automatic Monitoring Sites for 2016   |     |
| Tabl         | e D.     | Annual Mean NO <sub>2</sub> Ratified and Bias-adjusted Monitoring Results (2 m <sup>-3</sup> )   | 7   |
| Tabl         | e E.     | NO <sub>2</sub> Automatic Monitor Results: Comparison with 1-hour Mean Objective   | 8   |
| Tabl         | e G.     | PM <sub>10</sub> Automatic Monitor Results: Comparison with 24-Hour Mean Objective   | 11  |
| Tabl<br>requ |          | Commitment to Cleaner Air Borough Criteria This section is voluntary, although you are complete it if you wish to maintain your Cleaner Air Borough status |     |
| Tabl         | e K.     | Delivery of Air Quality Action Plan Measures   | 21  |
| Tabl         | e N.     | NO <sub>2</sub> Diffusion Tube Results   | 41  |
|              |          | Gradko International's performance summary for WASP/AIR quality scheme from Apri<br>oruary 2015  |     |

# **Abbreviations**

AQAP Air Quality Action Plan

AQMA Air Quality Management Area

AQO Air Quality Objective

BEB Buildings Emission Benchmark

CAB Cleaner Air Borough
CAZ Central Activity Zone

EV Electric Vehicle

GLA Greater London Authority

LAEI London Atmospheric Emissions Inventory

LAQM Local Air Quality Management

LLAQM London Local Air Quality Management

NRMM Non-Road Mobile Machinery

 $PM_{10}$  Particulate matter less than 10 micron in diameter  $PM_{2.5}$  Particulate matter less than 2.5 micron in diameter

TEB Transport Emissions Benchmark

TfL Transport for London

 Table A.
 Summary of National Air Quality Standards and Objectives

| Pollutant                          | Objective (UK)   | Averaging Period | Date <sup>1</sup>        |
|------------------------------------|--|------------------|--------------------------|
| Nitrogen dioxide - NO <sub>2</sub> | 200 g m <sup>-3</sup> not to be exceeded more than 18 times a year     | 1-hour mean      | 31 Dec 2005              |
|                                    | 40 @g m <sup>-3</sup>  | Annual mean      | 31 Dec 2005              |
| Particles - PM <sub>10</sub>       | 50 2g m <sup>-3</sup> not to be exceeded more than 35 times a year     | 24-hour mean     | 31 Dec 2004              |
|                                    | 40 @g m <sup>-3</sup>  | Annual mean      | 31 Dec 2004              |
| Particles - PM <sub>2.5</sub>      | 25 2g m <sup>-3</sup>  | Annual mean      | 2020                     |
|                                    | Target of 15% reduction in concentration at urban background locations | 3 year mean      | Between 2010<br>and 2020 |
| Sulphur Dioxide (SO <sub>2</sub> ) | 266 μg m <sup>-3</sup> not to be exceeded more than 35 times a year    | 15 minute mean   | 31 Dec 2005              |
|                                    | 350 μg m <sup>-3</sup> not to be exceeded more than 24 times a year    | 1 hour mean      | 31 Dec 2004              |
|                                    | 125 μg m <sup>-3</sup> mot to be exceeded more than 3 times a year     | 24 hour mean     | 31 Dec 2004              |

Note: 1by which to be achieved by and maintained thereafter

# 1. Air Quality Monitoring

# 1.1 Locations

Table B. Details of Automatic Monitoring Sites for 2016

| Site ID | Site Name             | X (m)      | Y (m)      | Site Type           | In<br>AQMA? | Distance from monitoring site to relevant exposure (m) | Distance to kerb of nearest road (N/A if not applicable) (m) | Inlet<br>height<br>(m) | Pollutants<br>monitored            | Monitoring technique                           |
|---------|-----------------------|------------|------------|---------------------|-------------|--|--|------------------------|------------------------------------|--|
| WL1     | Dawlish Rd            | 53838<br>0 | 18671<br>7 | Urban<br>Background | Y           | 5.5m   | 15m  | 3.5m                   | NO <sub>2</sub> , PM <sub>10</sub> | Chemiluminesce<br>nt; NOx analyser             |
| WL4     | Billet Round<br>About | 53746<br>8 | 19107<br>1 | Kerbside            | Υ           | 11m  | 0.5m   | 2m                     | NO <sub>2</sub> , PM <sub>10</sub> | Chemiluminesce<br>nt; NOx analyser             |
| WL5     | Ruckholt Close        | 53780<br>4 | 18602<br>5 | Roadside            | Υ           | 8m   | 1.5m   | 3.5m                   | NO <sub>2</sub> , PM <sub>10</sub> | Chemiluminesce<br>nt;<br>FDMS; NOx<br>analyser |

 Table C.
 Details of Non-Automatic Monitoring Sites for 2016

| Site ID                       | Site Name | X (m)  | Y (m)               | Site Type | In AQMA?                     | Distance from monitoring site to relevant exposure (m) | Distance to kerb<br>of nearest road<br>(N/A if not<br>applicable)<br>(m) | Inlet<br>height<br>(m) | Pollutants<br>monitored | Tube co-<br>located with<br>an automatic<br>monitor?<br>(Y/N) |
|-------------------------------|-----------|--------|---------------------|-----------|------------------------------|--|--|------------------------|-------------------------|---|
| Chingford<br>Assembly<br>Hall | 538705    | 194452 | Urban<br>Background | Υ         | Approx.20m                   | 15m  | 10m  | NO <sub>2</sub>        | Υ                       | Chingford<br>Assembly<br>Hall                                 |
| Dawlish<br>Rd                 | 538380    | 186717 | Urban<br>Background | Υ         | Within<br>school<br>boundary | 10m  | 3.5m   | NO <sub>2</sub>        | Y                       | Dawlish Rd  |
| Leyton<br>Library             | 538245    | 186285 | Roadside            | Υ         | Approx.15m                   | Approx. 11m  | Approx. 8m   | NO <sub>2</sub>        | Υ                       | Leyton<br>Library   |
| Connaught                     | 539025    | 186945 | Roadside            | Y         | Within<br>school<br>boundary | 10m (nearest<br>road is A12-<br>M11 Link<br>Road)      | 2.5m   | NO <sub>2</sub>        | Y                       | Connaught   |

# 1.2 Comparison of Monitoring Results with AQOs

The results presented are after adjustments for "annualisation" and for distance to a location of relevant public exposure, the details of which are described in section 3.1.

Table D. Annual Mean NO<sub>2</sub> Ratified and Bias-adjusted Monitoring Results (2g m<sup>-3</sup>)

|                               |           | Valid data                        | Valid data                     |        |                   | Annual M | ean Concentr      | ation (µgm <sup>-3</sup> )     |        |               |
|-------------------------------|-----------|-----------------------------------|--------------------------------|--------|-------------------|----------|-------------------|--------------------------------|--------|---------------|
| Site ID                       | Site type | capture for monitoring period % a | capture<br>2016 % <sup>b</sup> | 2010 ° | 2011 <sup>c</sup> | 2012 °   | 2013 <sup>c</sup> | 2014 °                         | 2015 ° | <b>2016</b> ° |
| WL1<br>Dawlish<br>Road        | Automatic | N/A                               | 94.98%                         | 38     | 37                | 37       | 36                | 28 (data<br>capture<br>73.22%) | 26     | 30            |
| WL4<br>Crooked<br>Billet      | Automatic | N/A                               | 98.09%                         | 74.3   | 71                | 73       | 68                | 74                             | 66     | 62            |
| WL5<br>Ruckholt<br>Close      | Automatic | N/A                               | 99.06%                         | 46     | 40                | 24       | 28                | 36                             | 31     | 35            |
| Chingford<br>Assembly<br>Hall | Diffusion | N/A                               | 91.67%                         | 30.6   | 28.8              | 26.9     | 26.3              | 26.85                          | 24.69  | 27.21         |
| Dawlish<br>Rd                 | Diffusion | N/A                               | 94.44%                         | 34.3   | 31.5              | 31.4     | 28.4              | 27.63                          | 25.25  | 28.87         |
| Leyton<br>Library             | Diffusion | N/A                               | 100%                           | 67.9   | 61.9              | 52       | 52.4              | 49.39                          | 46.53  | 51.68         |
| Connaught                     | Diffusion | N/A                               | 91.67%                         | 47.6   | 41.8              | 41.2     | 41.5              | 39.27                          | 33.64  | 42.79         |

Notes: Exceedance of the NO<sub>2</sub> annual mean AQO of 40 μgm<sup>-3</sup> are shown in **bold**.

NO<sub>2</sub> annual means in excess of 60 μg m<sup>-3</sup>, indicating a potential exceedance of the NO<sup>2</sup> hourly mean AQS objective are shown in bold and underlined.

Table E. NO<sub>2</sub> Automatic Monitor Results: Comparison with 1-hour Mean Objective

|                        | Valid data   | Valid data                     |        |       | Number o | f Hourly Means | > 200 μgm <sup>-3</sup> |  |       |
|------------------------|--|--------------------------------|--------|-------|----------|----------------|-------------------------|--|-------|
| Site ID                | capture for<br>monitoring<br>period % <sup>a</sup> | capture<br>2016 % <sup>b</sup> | 2010 ° | 2011° | 2012 °   | 2013°          | 2014 °                  | <b>2015</b> °  | 2016° |
| WL1<br>Dawlish<br>Road | N/A  | 94.98%                         | 0      | 3     | 2        | 2              | 1                       | 0 (99.8 <sup>th</sup> percentile is 88; less than 200 therefore unlikely to experience exceedance) | 0     |

<sup>&</sup>lt;sup>a</sup> data capture for the monitoring period, in cases where monitoring was only carried out for part of the year

b data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%)

<sup>&</sup>lt;sup>c</sup> Means should be "annualised" in accordance with LLAQM Technical Guidance, if valid data capture is less than 75%

|                          | Valid data   | Valid data |        |                   | Number o | f Hourly Means           | > 200 μgm <sup>-3</sup> |   |               |
|--------------------------|--|------------|--------|-------------------|----------|--------------------------|-------------------------|---|---------------|
| Site ID                  | capture for monitoring period % a capture 2016 % b |            | 2010 ° | 2011 <sup>c</sup> | 2012 °   | <b>2013</b> <sup>c</sup> | 2014 °                  | 2015 °  | <b>2016</b> ° |
| WL4<br>Crooked<br>Billet | N/A  | 98.09%     | 20     | 14                | 19       | 11                       | 116                     | 37 (99.8 <sup>th</sup> percentile is 243 suggesting an exceedance of the hourly mean objective) | 15            |
| WL5<br>Ruckholt<br>Close | N/A  | 99.06%     | 5      | 0                 | 0        | 0                        | 7                       | 0   | 0             |

Notes: Exceedance of the NO<sub>2</sub> short term AQO of 200 μgm<sup>-3</sup> over the permitted 18 days per year are shown in **bold**.

<sup>&</sup>lt;sup>a</sup> data capture for the monitoring period, in cases where monitoring was only carried out for part of the year

b data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%)

<sup>&</sup>lt;sup>c</sup> Means should be "annualised" in accordance with LLAQM Technical Guidance, if valid data capture is less than 75%

Table F. Annual Mean PM<sub>10</sub> Automatic Monitoring Results (2g m<sup>-3</sup>)

|                          | Valid data   | Valid data                     |        | Annual Mean Concentration (μgm <sup>-3</sup> ) |        |                   |        |               |               |  |  |  |
|--------------------------|--|--------------------------------|--------|--|--------|-------------------|--------|---------------|---------------|--|--|--|
| Site ID                  | capture for<br>monitoring<br>period % <sup>a</sup> | capture<br>2016 % <sup>b</sup> | 2010 ° | 2011 <sup>c</sup>                              | 2012 ° | 2013 <sup>c</sup> | 2014 ° | <b>2015</b> ° | <b>2016</b> ° |  |  |  |
| WL1<br>Dawlish<br>Road   | N/A  | 92.68%                         | 21.7   | 25   | 18     | 21                | 19     | 16            | 18            |  |  |  |
| WL4<br>Crooked<br>Billet | N/A  | 99.26%                         | 29.7   | 29   | 32     | 31                | 40     | 32            | 29            |  |  |  |
| WL5<br>Ruckholt<br>Close | N/A  | 95.51%                         | 24.5   | 25   | 19     | 21                | 20     | 18            | 19            |  |  |  |

Notes: Exceedance of the  $PM_{10}$  annual mean AQO of 40  $\mu gm^{-3}$  are shown in **bold**.

<sup>&</sup>lt;sup>a</sup> data capture for the monitoring period, in cases where monitoring was only carried out for part of the year

b data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%)

<sup>&</sup>lt;sup>c</sup> Means should be "annualised" in accordance with LLAQM Technical Guidance, if valid data capture is less than 75%

Table G. PM<sub>10</sub> Automatic Monitor Results: Comparison with 24-Hour Mean Objective

|                          | Valid data   | Valid data                     |        |                          | Number | of Daily Means | > 50 μgm <sup>-3</sup> |  |               |
|--------------------------|--|--------------------------------|--------|--------------------------|--------|----------------|------------------------|--|---------------|
| Site ID                  | capture for<br>monitoring<br>period % <sup>a</sup> | capture<br>2016 % <sup>b</sup> | 2010 ° | <b>2011</b> <sup>c</sup> | 2012 ° | 2013°          | 2014 °                 | <b>2015</b> °                          | <b>2016</b> ° |
| WL1<br>Dawlish<br>Road   | N/A  | 92.68%                         | 1      | 8                        | 0      | 3              | 1                      | 0 (90 <sup>th</sup> percentile is 24)  | 4             |
| WL4<br>Crooked<br>Billet | N/A  | 99.26%                         | 16     | 14                       | 21     | 22             | 60                     | 23 (90 <sup>th</sup> percentile is 48) | 22            |
| WL5<br>Ruckholt<br>Close | N/A  | 95.51%                         | 11     | 20                       | 13     | 8              | 9                      | 3 (90 <sup>th</sup> percentile is 28)  | 6             |

Notes: Exceedance of the PM<sub>10</sub> short term AQO of 50  $\mu$ g m<sup>-3</sup> over the permitted 35 days per year or where the 90.4th percentile exceeds 50  $\mu$ g m<sup>-3</sup> are shown in **bold**. Where the period of valid data is less than 90% of a full year, the 90.4th percentile is shown in brackets after the number of exceedances.

<sup>&</sup>lt;sup>a</sup> data capture for the monitoring period, in cases where monitoring was only carried out for part of the year

b data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%)

<sup>&</sup>lt;sup>c</sup> Means should be "annualised" in accordance with LLAQM Technical Guidance, if valid data capture is less than 75%

# 2. Action to Improve Air Quality

Table J. Commitment to Cleaner Air Borough Criteria

| Theme                   | Crite | ria  | Achieved<br>(Y/N) | Evidence   |
|-------------------------|-------|--|-------------------|--|
| 1. Political leadership | 1.a   | Pledged to become a Cleaner Air for London Borough (at cabinet level) by taking significant action to improve local air quality and signing up to specific delivery targets. |                   | Refer to appendix C for letter from Council Leader   |
|                         | 1.b   | Provided<br>an up-to-<br>date Air<br>Quality<br>Action Plan  | Y                 | <ul> <li>Draft AQAP measures (see attached).</li> <li>Full document cannot be provided as it is still in the consultation phase. The document was re-drafted based on the new GLA AQAP template. The Council however continues to deliver some of the proposed measures demonstrating our commitment to air quality improvement measures.</li> </ul> |

|                  |     | (AQAP),<br>fully<br>incorporat<br>ed into LIP<br>funding<br>and core<br>strategies.  |   |  |
|------------------|-----|--|---|--|
| 2. Taking action | 2.a | Taken decisive action to address air pollution, especially where human exposure and vulnerabili ty (e.g. schools, older people, hospitals etc) is highest. | Y | The Council has delivered the following projects to raise awareness, educate, influence pollution reduction measures and also influence pollution exposure reduction in 2016:  Anti-Idling project around schools  We have over 46 volunteer air quality champions and have at least one anti idling event per month at selected schools. Officers with the capability for issuing fixed penalty notices for idling and illegal parking also attend to ensure compliance and volunteer safety. The project has been picked up by various media outlets:  http://www.standard.co.uk/news/london/smog-wars-at-the-school-gates-council-tells-school-rundrivers-to-switch-off-cars-or-face-fines-a3505516.html  http://www.thetimes.co.uk/edition/news/turn-engines-off-at-schools-parents-told-86w2zmpwk?utm_source=LGiU+Subscribers&utm_campaign=7af8593e6e-EMAIL_CAMPAIGN_2017_04_04&utm_medium=email&utm_term=0_4e47157211-7af8593e6e-199020149  http://www.express.co.uk/life-style/cars/787633/parents-driving-fine-school-parking-idling-engine-air-pollution-London)  Green Courier  A MAQF project, the initiative offers an emission free delivery service for local businesses and residents in the borough. It is not only designed to address last mile emissions but also influence a behaviour change by demonstrating that cargo bikes, as well as electric/hydrogen vehicles are just as effective at making deliveries as conventional diesel/petrol vehilc.es. This is an emissions free delivery service. A |

|     |  |   | pilot was held for 2 weeks in December 2016. During this time, 1000 packages were delivered. An estimated emissions savings of 2288.14g/km of NOx and 81.72g/km of PM10 were achieved. Following the success of the pilot, a full delivery service will now be delivered until 2019 with an aim to continue to deliver the service once MMAQF funding has ceased. The following link provides information about the Christmas pilot: <a href="https://www.youtube.com/watch?v=078gwpJN1nU">https://www.youtube.com/watch?v=078gwpJN1nU</a> Construction Dust/Emissions Officer  This officer is part of a MAQF project shared between Waltham Forest, Enfield, Barnet and Haringey. It is estimated that construction and NRMM account for around 15% of PM10 and 12% of NOx emissions. The officer is working with construction sites to ensure compliance with the NRMM and that best practices in terms of control of emissions and dust are followed. A lessons learned document and tool kit will be produced upon completion of the 3 year project for other authorities to use.  Mini Holland  This is an on-going project which works towards improving cycling and pedestrian infrastructure, creating green spaces, limiting vehicle access to residential roads, implementing borough wide 20mph speed limit, providing free bicycle training to all schools, businesses and residents in Waltham Forest (influencing a modal shift to more sustainable forms of transportation), implementing controlled parking zones throughout the borough, ensuring all Council fleet operators and contractors are accredited to FORS Gold standard within the next 4 years, providing safe urban driving courses every calendar month to drivers.  School Air Quality Assistance  The Council offers a service to local schools providing assistance to schools in relation to all air quality matters <a href="https://thehub.walthamforest.gov.uk/services-and-support/property/air-quality-service">https://thehub.walthamforest.gov.uk/services-and-support/property/air-quality-service</a> |
|-----|--|---|--|
| 2.b | Developed plans for business engageme nt | Υ | <ul> <li>Green Courier Project which will provide an emissions free delivery service to local businesses and residents in the borough (reducing the need for the use of private vehicles)</li> <li>Mini Holland various measures aimed at improving cycling and pedestrian infrastructure influencing a shift towards sustainable forms of transportation</li> </ul>   |

|     | (including optimising deliveries and supply chain), retrofitting public buildings using the RE:FIT framework, integrating no engine idling awareness raising into the work of civil enforceme nt officers, (etc etc). |   | <ul> <li>Providing assistance to schools in relation to all air quality matters https://thehub.walthamforest.gov.uk/services-and-support/property/air-quality-service</li> <li>Monthly anti idling days at schools targeting idling vehicles</li> <li>Air Quality officer attends resident ward forum meetings to discuss projects and air quality matters with local residents</li> <li>The Council currently has a fleet of cargo bikes which businesses and residents can book for free.</li> </ul> |
|-----|---|---|--|
| 2.c | Integrated transport and air quality, such as: improving traffic flows on borough roads to  | Y | Mini Holland project (refer to points above and <a href="http://www.enjoywalthamforest.co.uk/">http://www.enjoywalthamforest.co.uk/</a> for details of project)  |

| 2.d | reduce stop/start conditions, improving the public realm for walking and cycling, and introducin g traffic reduction measures.                         | Υ | • S106 monies specific for air quality works refer to sections 15.6-15.9 of SPD:   |
|-----|--|---|--|
|     | additional resources available to improve local air quality, including by pooling its collective resources (s106 funding, LIPs, parking revenue, etc). |   | https://www.walthamforest.gov.uk/sites/default/files/Revised%20Planning%20Obligations%20SPD_Adopted%20March%202014.pdf  • LIP funding has been used on air quality projects such as Mini Holland, and Green Courier Project  • CIL monies are now being requested for air quality projects |

| 3. Leading by example | 3.a | Invested sufficient resources to compleme nt and drive action from others.  | Υ | • The Council currently employs 1 full time Air Quality officer who is dedicated to all matters relating to air quality including driving action as well as devising and delivering air quality projects. A budge specific to this task cannot be provided as its part of the whole Environmental Protection cost centre, however, a total of approximately £90,000 is currently secured for air quality projects, monitoring, etc.  |  |  |  |  |  |
|-----------------------|-----|---|---|--|--|--|--|--|--|
|                       | 3.b | Maintaine Y d an appropriat e monitoring network so that air quality impacts within the borough can be properly understoo d |   | <ul> <li>There are currently 3 automatic monitoring stations monitoring for PM10 and NO2 within the borough and 4 permanent passive diffusion tube locations monitoring for NO2.</li> <li>Projects such as the Mini Holland have contributed to our monitoring network as well; there are an additional 22 diffusion tubes around the borough monitoring NO2 for long term projects.</li> <li>Additionally, any possible new school locations or expansion projects requires a minimum of 6 months of air quality monitoring to assess suitability and design requirements with regards to mitigation measures.</li> </ul> |  |  |  |  |  |
|                       | 3.c | Reduced Y emissions from council operations , including   |   | • The Council currently does not have specific figures in terms of reductions from council operations however, air quality has been incorporated into our procurement policy as seen in the following document:<br>http://democracy.walthamforest.gov.uk/documents/s45524/WFC124975_Sustainable_procurement_p olicy_a4_v4.pdf  |  |  |  |  |  |

|                              |     | from buildings, vehicles and all activities.  |   | <ul> <li>The Council will also ensure that all Council fleet operators and contractors are accredited to FORS Gold standard within the next 5 years</li> <li>The Council's Climate Change Strategy aims to reduce the boroughsCO2 emissions by 80% by 2050. https://www.walthamforest.gov.uk/sites/default/files/waltham-forest-climate-change-strategy.pdf</li> </ul> |
|------------------------------|-----|---|---|--|
|                              | 3.d | Adopted a procureme nt code which reduces emissions from its own and its suppliers activities, including from buildings and vehicles operated by and on their behalf (e.g. rubbish trucks). | Y | Air quality has been incorporated into our procurement policy as seen in the following document: <a href="http://democracy.walthamforest.gov.uk/documents/s45524/WFC124975">http://democracy.walthamforest.gov.uk/documents/s45524/WFC124975</a> Sustainable procurement policy a4 v4.pdf  |
| 4. Using the planning system | 4.a | Fully implement ed the Mayor's  | Υ | <ul> <li>All approved planning applications are required to comply with the London Plan and National Planning<br/>Policy Framework requirements.</li> <li>Currently conditions are put on for:         <ul> <li>air quality assessments and relevant mitigation measures</li> </ul> </li> </ul>  |

|     | policies relating to air quality neutral, combined heat and power and biomass.                      | <ul> <li>air quality neutral assessments</li> <li>to demonstrate compliance with emission limits for CHP, biomass and gas boilers</li> <li>construction management statements</li> <li>NRMM</li> <li>Refer to Development Management Policies document section 25.5 as confirmation that the Council fully implements the Mayor's policies</li> <li><a href="https://branding.walthamforest.gov.uk/Documents/DMPolicies%20Adoption%20Version%20October%202013.pdf">https://branding.walthamforest.gov.uk/Documents/DMPolicies%20Adoption%20Version%20October%202013.pdf</a></li> </ul>  |
|-----|---|---|
| 4.b | Collected Y s106 from new developme nts to ensure air quality neutral developme nt, where possible. | The Council has a specific formula for S106 air quality contributions. Refer to section 15.6-15.9 of our SPD <a href="https://branding.walthamforest.gov.uk/Documents/Revised%20Planning%20Obligations%20SPD_Adopted%20March%202014.pdf">https://branding.walthamforest.gov.uk/Documents/Revised%20Planning%20Obligations%20SPD_Adopted%20March%202014.pdf</a> Approximately £90,000 is currently secured for air quality projects, monitoring, etc.  |
| 4.c | Provided Y additional enforceme nt of constructio n and demolition guidance, with regular           | <ul> <li>The Council has a specific construction management condition which is put on all planning applications to control dust and emissions from site and ensure best practice. Reference is made in the condition to the practices listed in Mayor's The Control of Dust and Emissions during Construction and Demolition SPG.</li> <li>The Council also has a specific condition in relation to compliance with the NRMM requirement which includes signing up to the NRMM registration site.</li> <li>As part of the North London Cluster Group the Council has also been successful in obtaining MAQ funding for a Shared Enforcement Officer for Construction Sites who will ensure construction sites are using best practice, complying with planning conditions in relation to the control of dust and emissions</li> </ul> |

|  |     | checks on<br>medium<br>and high<br>risk<br>building<br>sites.   |   | from site as well as complying with the NRMM conditions.  |
|--|-----|---|---|---|
| 5. Integrating air quality into the public health system | 5   | Included air quality in the borough's Health and Wellbeing Strategy and/or the Joint Strategic Needs Assessmen t. | Y | Our Joint Strategic Needs Assessment has a section dedicated to Air Quality: <a href="https://branding.walthamforest.gov.uk/Documents/JSNA-Report-2014.pdf">https://branding.walthamforest.gov.uk/Documents/JSNA-Report-2014.pdf</a>  |
| 6. Informing<br>the public                               | 6.a | Raised<br>awareness<br>about air<br>quality<br>locally.   | Y | <ul> <li>The Council continues to raise awareness about air quality locally via various public engagement projects such as the Schools anti idling project, Green Courier Projects and Mini Holland project.</li> <li>Additionally, the Council promotes airText on the Council website (air quality section) and ensures airText is embedded as a key message in any engagement project delivered</li> <li>The Council is also increasing its air quality presence by presenting our achievements at various events</li> </ul> |

|  |  | such as the Pollution Study Day at CIEH and the ADPH London and LEDNet Air Quality event recently held in March 2017. |
|--|--|---|
|  |  |   |

# 2.1 Air Quality Action Plan Progress

Table K provides a brief summary of the Council's progress against our draft Air Quality Action Plan, showing progress made this year. New projects which commenced in 2016 are shown at the bottom of the table.

Please note as the majority of the measures in our current AQAP have been met or are no longer applicable, the measures below are from our draft AQAP. Although the document is still in its draft form, the Council has started to deliver some of the measures already thus making it applicable to this Annual Status Report.

 Table K.
 Delivery of Air Quality Action Plan Measures

| Measure         | Action            | Progress  | Further information                                |
|-----------------|-------------------|---|--|
|                 |                   | Emissions/Concentration data                                  |  |
|                 |                   | Benefits  |  |
|                 |                   | Negative impacts / Complaints                                 |  |
|                 |                   |   |  |
|                 |                   |   |  |
| Reducing        |                   |   |  |
| Council         |                   |   |  |
| Emissions       |                   |   |  |
| 1.1 Reduction   | Reduce grey fleet | Essential user car permits now require a business case to     |  |
| in grey fleet   | usage by 5%       | demonstrate need by officer                                   |  |
| usage           | annually          | Council facility parking fees have increased by 600% to deter |  |
|                 |                   | officers from driving to work                                 |  |
| 1.2 To ensure   | Guidance tool kit |   | Toolkit to be produced once draft AQAP is approved |
| air quality and | to be produced    |   |  |

| CO2 have a close working relationship in  |  |   |
|---|--|---|
| Council run projects and policy   |  |   |
| 1.3 Promote Council-run schemes (cycle to work, Drive Now, free cycling training, Pool Bikes, carpooling, season ticket/ travel card loan scheme, working from home etc.) | <ul> <li>Have one week-long promotion blitz per year.</li> <li>Ensure Council welcome packs to new employees sign post to these schemes.</li> <li>Annually assess uptake of schemes.         <ul> <li>Aim to achieve 2% uptake annually</li> </ul> </li> </ul> | The following schemes are currently being promoted with staff:  Cycle to work scheme currently on our intranet which allows employees to purchase a bicycle at a discount price  Season ticket/travel card loan scheme which provides interest free loans to employees to buy travel cards and season travel tickets  Promotion of Council pool bikes throughout our facilities. Cycling safety training is provided along with safety equipment such as safety helmets  Free cycle training is being offered to Council staff, local schools, residents and businesses operating in Waltham Forest  The Council have signed up to Liftshare ( a carpool site) and promote it within the Councils intranet  The Council is also promoting our air quality services to schools in Waltham Forest:  https://thehub.walthamforest.gov.uk/services-and-support/property/air-quality-service |
| 1.4 Ensuring air quality is taken into considera  | <ul> <li>Incorporation<br/>of the policy<br/>into the<br/>procurement<br/>system.</li> </ul>   | <ul> <li>Air quality has been included as a consideration in our         Sustainable Procurement Policy:         <ul> <li>http://democracy.walthamforest.gov.uk/documents/s45524/</li> <li>WFC124975 Sustainable procurement policy a4 v4.pdf</li> </ul> </li> <li>All Council fleet operators and contractors will be accredited</li> </ul>  |

| tion            | Annual            | to FORS Gold standard within the next 4 years   |    |
|-----------------|-------------------|---|----|
| during          | review of         |   |    |
| any             | Council           |   |    |
| procurem        | owned             |   |    |
| ent             | vehicles and      |   |    |
| process.        | contractor        |   |    |
| This will       | vehicles to       |   |    |
| be              | track Euro        |   |    |
| achieved        | Emission          |   |    |
| by:             | Level.            |   |    |
| a. Creating     | Require Euro      |   |    |
| Sustainable     | 6 or higher       |   |    |
| Procurement     | and increase      |   |    |
| Policy (SPP)    | in electric,      |   |    |
| and             | LPG or petrol     |   |    |
| Community       | vehicles and      |   |    |
| Benefits        | reduction in      |   |    |
| Toolkit (CBT).  | diesel            |   |    |
| b. Creating a   | vehicles with     |   |    |
| fuel hierarchy  | any new           |   |    |
| within the      | purchase or       |   |    |
| procurement     | leasing           |   |    |
| system.         | agreements.       |   |    |
| 1.5 Moving      | Producing a map   | • The Council's Registry Office is being relocated to the main Town A map of Council office locations still needs to be produced. | ed |
| Council offices | of current        | Hall Complex in 2017-2018   |    |
| to more         | Council offices   | Low Hall Depot is scheduled for redevelopment in 2020   |    |
| central         | and assessing the |   |    |
| locations with  | feasibility of    |   |    |
| better access   | consolidating     |   |    |
| to sustainable  | some into areas   |   |    |
| modes of        | with better       |   |    |
| transportation  | public transport  |   |    |
|                 | links.            |   |    |

| 1.6 To continue to monitor for NO2 and PM10 throughout the borough | Achieving at least 95% data capture at all monitoring stations  Increase green infrastructure by | monito diffusi  The Contubes Selbor  The Contuber Seckgon | The Council currently has 3 automatic monitoring stations monitoring for PM10 and NO2. The Council also has 4 permanent diffusion tubes.  The Council currently has a network of 18 triplicate diffusion tubes for our Mini Holland project and 4 diffusion tubes for our Selborne Project  The Council has purchased a new NOx analyser for its urban background monitoring site and is looking to update the rest of its NOx analysers by 2018  Planting borough wide figures: |                   |                       |          |             |             |              |   | gures have been updated to reflect the entire tree<br>anting and felling in the borough.   |
|--|--|---|--|-------------------|-----------------------|----------|-------------|-------------|--------------|---|--|
| infrastructure   | 2% in the  | Tree Felling  |  | 2012/13           | 2013/14               | 2014/15  | 2015/16     | 2016/17     | Total        |   | system to track the installation of green screens, roofs and   |
| (trees, green  | borough  |   | Dead/Dying   | 487               | 302                   | 262      | 394         | 436         | 1881         |   | alls is required.  |
| walls, roofs,  |  |   | Insurance  | 48                | 29                    | 27       | 35          | 36          | 175          |   | '  |
| screens)   |  | Tree  | TOTAL  | 535               | 331                   | 289      | 429         | 472         | 2056         |   |  |
| ,  |  | Planting  | Standard<br>Mini-Holland   | 266               | 335                   | 332      | 420<br>126  | 711<br>159  | 2064<br>285  |   |  |
|  |  |   | 106 Planting   |                   | 93                    | 101      | 55          | 16          | 265          |   |  |
|  |  |   | Extra  |                   |                       |          |             |             |              |   |  |
|  |  |   | Planting   |                   |                       | 95       |             | 3060        | 3155         |   |  |
|  |  |   | Whips<br>TOTAL   | 600<br><b>866</b> | 428                   | 528      | 800<br>1401 | 250<br>4196 | 1650<br>7419 |   |  |
|  |  |   |  |                   |                       |          |             |             |              |   |  |
| 1.8 Implementing green council pool vehicles for officers.         | At least five<br>electric, petrol<br>hybrid or petrol<br>cars by 2018.                           | • The Co  | ouncil curre   | ntly has a f      | fleet of <sub>l</sub> | pool bik | es whic     | h staff ເ   | use          | • | The Council is currently establishing a network of electric vehicle charge points in order to support this measure.  The Council used an electric/hydrogen van for the Christmas green courier pilot and is looking to purchase an electric van in 2017 to support the full green courier project and for Council pool vehicle purposes. |
| Reducing<br>Emissions<br>from                                      |  |   |  |                   |                       |          |             |             |              |   |  |

| Transport   |   |   |   |
|---|---|---|---|
| 2.1 Reduce<br>private<br>vehicle usage<br>in the<br>borough                           | 5% reduction by<br>2020   | 2010 ownership 78,041 (cars and motorcycles source LAEI) 2011 ownership 77, 100 (cars and motorcycles source LAEI) 2012 ownership 78,041 (cars and motorcycles source LAEI) 2013 ownership 77,157(cars and motorcycles source LAEI) 2014 ownership 78,443 (cars and motorcycles source LAEI) 2015 ownership 80,649 (cars and motorcycles source LAEI) | The LAEI data suggests ownership is not decreasing as expected although it should be noted that:  • 42% of households in our borough currently do not own a car  • In terms of new developments there have been: 32 car free developments in 2013; 25 car free developments in 2014; 37 car free developments in 2015; 31 car free developments in 2016 |
| 2.2 Changing<br>the Barking –<br>Gospel Oak<br>line from<br>diesel to<br>electric.    | Continued liaison<br>with the GLA and<br>TfL, pushing for<br>electric trains by<br>2018       | Works to electrify the line have commenced and due to be completed next year  | As works have commenced, this measure will be removed from the final AQAP.  |
| 2.3 Undertake<br>a detailed<br>review of<br>creating 'no<br>vehicle'<br>areas/streets | Review to be completed by 2016.   | <ul> <li>The Mini Holland project has created vehicle restricted areas to reduce through traffic in residential areas.</li> <li>The Council continues to expand its CPZ's borough wide.</li> </ul>  | This measure will need to be updated depending on whether the ULEZ will be extended to the North/South Circular boundary or to a London wide boundary.  |
| 2.4 Assessing the feasibility of creating our own low emission zones.                 | Assessment to be completed by 2017  |   | The date deadline will be adjusted based on when the AQAP is approved and whether the ULEZ will be extended to the North/South Circular boundary or to a London wide boundary.  |
| 2.5 Enforcing<br>anti-idling in<br>pollution<br>hotspot areas                         | <ul> <li>Install anti-<br/>idling<br/>warning signs</li> <li>Carry out<br/>routine</li> </ul> | <ul> <li>The Council adopted anti idling legislation in July 2015</li> <li>The Council holds at least 1 anti-idling tasking day per month with volunteers and enforcement officers.</li> <li>Enforcement tasking days which includes engaging with idling vehicles takes part at least once a month as part of designated</li> </ul>                  |   |

|   | <ul> <li>enforcement</li> <li>Adopt the         Road Traffic         Vehicle         Emissions     </li> </ul>  | tasking days.   |   |
|---|---|---|---|
|   | Fixed Penalty Regulations Have at least two anti-idling tasking days per year   |   |   |
| 2.6 Reduce<br>NO2 and<br>PM10<br>emissions<br>from private<br>hire vehicles<br>and black cabs | <ul> <li>Participate in the green minicab project currently being trialled by Islington and Hackney</li> <li>Continue liaising with TfL and the GLA to extend the ULEZ to Waltham Forest</li> </ul> |   | This measure is likely to be removed from final AQAP as TfL/GLA have created euro standards compliance requirements for black cabs and private hire vehicles. |
| 2.7 Installation of electric vehicle charge points in pollution hotspot areas                 | At least two electric vehicle charge points with associated parking in Walthamstow, Leytonstone,  | <ul> <li>Report for charge point installations approved by Portfolio lead, charge points to be installed by 2018.</li> <li>The Council is part of the successful Go Ultra Low bid which will install electric vehicle charge points throughout London: file:///C:/Users/Home/AppData/Local/Temp/FINAL%20London%2 OOLEV%20Bid%202015.10.2.pdf</li> </ul> |   |

|                  |     | 1.0.           | 1   |   | T |
|------------------|-----|----------------|-----|---|---|
|                  |     | ood Street,    |     |   |   |
|                  |     | ickhorse Road, |     |   |   |
|                  | Lea | a Bridge Road  |     |   |   |
|                  | an  | d Chingford    |     |   |   |
|                  | are | eas            |     |   |   |
| 2.8 Improving    | Inc | rease cycling  | •   | Mini Holland project is improving cycling and pedestrian          |   |
| cycling and      | up  | take in the    |     | infrastructure borough wide and influencing a modal shift from    |   |
| pedestrian       | bo  | rough by 10%   |     | private vehicle usage to more sustainable forms of transportation |   |
| pathways         |     |                |     |   |   |
| Reducing         |     |                |     |   |   |
| Emissions        |     |                |     |   |   |
| from             |     |                |     |   |   |
| Businesses       |     |                |     |   |   |
| and Residents    |     |                |     |   |   |
| 3.1 Reducing     | •   | All new        | •   | All new planning applications have a condition put on to ensure   |   |
| boiler           |     | builds and     |     | boilers NOx emissions do not exceed 40 mg/kWh (0%) and that       |   |
| emissions        |     | retrofits to   |     | CHP and biomass emissions do not exceed Band B Emission           |   |
| from             |     | comply with    |     | Standards for Solid Biomass Boilers and CHP Plant as listed in    |   |
| commercial       |     | the emission   |     | Appendix 7 of the London Plan's Sustainable Design and            |   |
| and              |     | limits in The  |     | Construction SPG document.  |   |
| residential      |     | London         |     |   |   |
|                  |     | Plan's SPG on  |     |   |   |
|                  |     | Sustainable    |     |   |   |
|                  |     | Design and     |     |   |   |
|                  |     | Construction   |     |   |   |
| 3.2 Ensure       | •   | Annual         | Thi | s is a statutory function and therefore continues to be delivered |   |
| that all Part B  |     | review of      |     | . ,   |   |
| Installations in |     | emission       |     |   |   |
| the borough      |     | figures from   |     |   |   |
| maintain the     |     | each           |     |   |   |
| highest          |     | permitted      |     |   |   |
| standards of     |     | process        |     |   |   |
| air pollution    |     | p. 00033       |     |   |   |
| an ponution      |     |                |     |   |   |

| 1   |   |  |   |  |  |
|---|---|--|---|--|--|
| emission  |   |  |   |  |  |
| control.  |   |  |   |  |  |
| 3.3 To<br>continue to<br>obtain \$106<br>monies for air<br>quality-<br>related<br>projects  | • | Monies to<br>contribute to<br>at least one<br>air quality<br>project per<br>year                 | • | The Council has a specific formula for S106 air quality contributions. Refer to section 15.6-15.9 of our SPD <a href="https://branding.walthamforest.gov.uk/Documents/Revised%20Planning%20Obligations%20SPD">https://branding.walthamforest.gov.uk/Documents/Revised%20Planning%20Obligations%20SPD</a> Adopted%20March%202014.pdf S106 air quality money is given annually to help support airText S106 air quality money is used to help keep our air quality monitoring network running S106 air quality money was used in September 2016 for an air |  |
|   |   |  |   | quality awareness raising event (Healthy Lungs)  |  |
| 3.4 To<br>encourage car<br>free and car<br>capped<br>developments<br>in areas with<br>high PTALS.   | • | Development<br>s in PTAL 5 or<br>higher to be<br>discouraged<br>from having<br>parking.          | • | Policy DM16 of our Development Management Policies (local Plan) states that the Council will seek to effectively manage parking and to ensure the provision of safe and attractive parking facilities by encouraging car-free and car-capped development in locations that are highly accessible by public transport; are accessible to opportunities and services, and/or have high levels of parking stress  | In terms of new developments there have been: 32 car free developments in 2013; 25 car free developments in 2014; 37 car free developments in 2015; 31 car free developments in 2016 |
| 3.5 All new developments that do have parking must install one electric vehicle charge point and associated parking space for every five parking spaces | • | Inclusion of<br>this<br>requirement<br>in the<br>Development<br>Management<br>Policy<br>Document | • | Policy DM16 of our Development Management Policies (local Plan) requires that one in five parking spaces (for both active and passive) provide an electrical charging point to encourage the uptake of electric vehicles in accordance with the London Plan  |  |
| 3.6 Ensuring business   | • | Ensure new planning  |   |  | This action will be modified or removed from the final AQAP as this is not enforceable via Town & Country Planning Act.  |

| freight deliveries in pollution hotspot areas occur during off-peak traffic hours.                   | applications have conditions specific to delivery times Ensure enforcement action is   |  |   |
|--|--|--|---|
| 3.7 Changing loading parking bay times in main arterial roads to hours outside of peak traffic hours | taken  • Ensure enforcement action is taken Changes to occur by 2017   |  | The date deadline will be adjusted based on when the AQAP is approved |
| 3.8 Reducing emissions from developments   | <ul> <li>Ensure every major development has a construction management condition.</li> <li>Ensure every development over 1000m2 is at least air quality neutral Ensure</li> </ul> | <ul> <li>Every new planning application has a construction management condition (when applicable) to control dust and emissions from site</li> <li>Air quality neutral conditions are put on for all applications that meet the 1000m2 requirement</li> <li>The Council have received funding from MAQF2 for a Shared Enforcement Officer for Construction Sites who will focus on dust and emission reductions from construction sites as well as compliance with the NRMM regulations</li> </ul> |   |

|                |   |                 |   |  | T   |
|----------------|---|-----------------|---|--|---|
|                |   | enforcement     |   |  |   |
|                |   | action is       |   |  |   |
|                |   | taken           |   |  |   |
| 3.9 Providing  |   | Feasibility     |   |  | The date deadline will be adjusted based on when the AQAP is    |
| a personal     |   | assessment      |   |  | approved  |
| travel planner |   | and business    |   |  |   |
| to businesses, |   | case to be      |   |  |   |
| residents, and |   | presented by    |   |  |   |
| schools        |   | 2017            |   |  |   |
| Increasing Air |   |                 |   |  |   |
| Quality        |   |                 |   |  |   |
| Awareness      |   |                 |   |  |   |
| 4.1 Improving  | • | Have at least   |   | Website has been updated; however there are limitations based      | Dependant on if the AQ Bulletin ranking websites is still being |
| our website    |   | four out of     |   | on corporate policy. Option to develop a micro-site is being       | published   |
| with regards   |   | five rating on  |   | considered.  |   |
| to air quality |   | the Air         |   |  |   |
| information    |   | Quality         |   |  |   |
| and            |   | Bulletin (an    |   |  |   |
| accessibility  |   | independent     |   |  |   |
| for our        |   | reviewer        |   |  |   |
| residents      |   | which looks     |   |  |   |
|                |   | at Local        |   |  |   |
|                |   | Authority       |   |  |   |
|                |   | websites in     |   |  |   |
|                |   | relation to air |   |  |   |
|                |   | quality         |   |  |   |
|                |   | information,    |   |  |   |
|                |   | content, ease   |   |  |   |
|                |   | of access,      |   |  |   |
|                |   | etc.)           |   |  |   |
| 4.2 Post air   | • | At least one    | • | The Council has posted in the WF Newspaper, twitter and website    |   |
| quality        |   |                 |   |  |   |
|                |   | post annually   |   | (including microsite) in relation to the Mini Holland project, the |   |

| on council TVs, website, twitter, newspaper and other media currently used to communicate with our residents | Forest News Use council TVs to showcase projects or important bulletins  | <ul> <li>The Council continues to tweet when air pollution levels are high to advise residents to take action to reduce their exposure.</li> <li>The schools anti-idling project and key messages are currently projected in Council TV screens in customer waiting areas.</li> <li>Air quality information and project updates are also provided to resident air quality Facebook groups (ie: Waltham Forest Cares About Clean Air) to post on their pages and update members</li> <li>The schools anti-idling project has been publicised in the Evening Standard, the Times and the Express</li> <li>http://www.standard.co.uk/news/london/smog-wars-at-the-schoolgates-council-tells-school-run-drivers-to-switch-off-cars-or-face-fines-a3505516.html</li> <li>http://www.thetimes.co.uk/edition/news/turn-engines-off-at-schools-parents-told-86w2zmpwk?utm_source=LGiU+Subscribers&amp;utm_campaign=7af859_3e6e-EMAIL_CAMPAIGN_2017_04_04&amp;utm_medium=email&amp;utm_term=0_4e47157211-7af8593e6e-199020149</li> <li>http://www.express.co.uk/life-style/cars/787633/parents-driving-fine-school-parking-idling-engine-air-pollution-London)</li> </ul> |  |
|--|--|--|--|
| 4.3 Continue partnership working with other Local Authorities, GLA and Defra                                 | <ul> <li>At least one<br/>bid<br/>submission<br/>to Defra/GLA<br/>etc. per year<br/>Continued<br/>participation</li> </ul> | <ul> <li>1 bid submitted to Defra in 2016 (not successful)</li> <li>The Council continues to attend steering group meetings, air quality events and cluster group meetings for both North London and East London Cluster Groups</li> </ul>   |  |

| 4.4 Continue to influence a modal switch from cars to tubes, buses, cycling and walking  4.5 Increase resident uptake of airText | • | at LA, GLA and Defra meetings  Annual traffic counts Annual cycling counts Evaluation of Mini Holland outputs  Increase sign up by 2% annually | AADFYear PedalCycles Motorcycles CarsTaxis BusesCoaches LightGoodsVehicles 2010 7497 14176 1012983 22579 159306 2011 5441 13157 868275 20031 143871 2012 5270 13931 899743 20828 158380 2013 7318 14756 935160 20211 158857 2014 8454 17315 1076851 19327 190449 2015 13010 18337 1000865 20624 183632 2016 21525 21083 1021585 20692 193361  2017 2018 2019 2019 2019 2019 2019 2019 2019 2019   |
|--|---|--|---|
| 4.6 Continue air quality engagement work with communities, schools, businesses etc.  | • | At least one engagement project per year where key outputs are measured at the end of the project. Aim to create projects that                 | <ul> <li>Mini Holland currently delivering various engagement activities with businesses and members of the public. A sustainable transportation legacy will be established as a result of the Mini Holland infrastructure</li> <li>Green Courier project being delivered over the next 3 years will engage with businesses and residents to reduce their pollution contribution</li> <li>Healthy Lungs air quality awareness raising event in September 2016</li> <li>Schools anti-idling days with enforcement officers and volunteers once a month at a min. of 2 schools</li> </ul> |

|  |   | will continue<br>and have<br>their own<br>legacy   | • | Produced anti-idling banners and provided to schools in areas of poor air quality and that have requested banners.  AQ officer attends regular Council ward forums discussing air quality matters and answering questions with residents and ward councillors. |   |
|--|---|--|---|--|---|
| 4.7 Increase car free days in key pollution hot spot areas   | • | One car free<br>day per town<br>centre per<br>year   | • | Currently have 1 car free day per year in Leytonstone  | Will need to modify this action in final AQAP as car free days have been merged in with other community events.                   |
| 4.8 Closer working relationship with Public Health linking projects which are relevant to air quality and illnesses impacted by poor air quality | • | At least one joint project per year Ensure air quality continues to be taken into consideration with Public Health decisions / projects/sche mes | • | Air quality is included in the JSNA document AQ officer attended one public health resident/care givers seminar to discuss air quality in 2016   | Bid to Defra to continue the pharmacy project was not successful. Currently seeing if this project can continue with S106 monies. |

# 3. Planning Update and Other New Sources of Emissions

# <u>Table L. Planning requirements met by planning applications in London Borough of Waltham</u> <u>Forest in 2016</u>

| Condition  | Number  |
|--|---|
|  | Please complete all fields in this column with the total numbers  |
| Number of planning applications reviewed for air quality impacts   | 1463♦   |
| Number of planning applications required to monitor for construction dust  | 0 • •   |
| Number of CHPs/Biomass boilers refused on air quality grounds  | 0   |
| Number of CHPs/Biomass boilers subject to GLA emissions limits and/or other restrictions to reduce emissions   | 1 biomass and 11 CHP/energy centres/decentralised heating networks  |
| Number of AQ Neutral building and/or transport assessments undertaken  | 29◆◆◆   |
| Number of AQ Neutral building and/or transport assessments not meeting the benchmark and so required to include additional mitigation  | 3◆◆◆◆   |
| Number of planning applications with S106 agreements including other requirements to improve air quality   | 11  |
| Number of planning applications with CIL payments that include a contribution to improve air quality   | Number of LCIL planning applications in 2016/17: 248  |
|  | Total amount of Local CIL received in 2016/17: £2,591,673.92  |
|  | Amount of LCIL spent on air quality in 2016/17: £0  |
| NRMM: Central Activity Zone and Canary Wharf Number of conditions related to NRMM included. Number of developments registered and compliant. Please include confirmation that you have checked that the development has been registered at <a href="https://www.nrmm.london">www.nrmm.london</a> and that all NRMM used on-site is compliant with Stage IIIB of the Directive and/or exemptions to the policy. | N/A   |
| NRMM: Greater London (excluding Central Activity Zone and Canary Wharf)  Number of conditions related to NRMM included.  Number of developments registered and compliant.  Please include confirmation that you have checked that the development has been registered at <a href="https://www.nrmm.london">www.nrmm.london</a> and that all NRMM used on-site is compliant with Stage IIIA of                  | <ul> <li>20 conditions included registered</li> <li>7 compliant</li> <li>13 unregistered/uncompliant and being chased.</li> </ul> |

# the Directive and/or exemptions to the policy.

- ◆Based on amount of emails received regarding planning matters
- •• Excludes sites that voluntarily included monitoring as part of their construction management statement
- ◆◆◆ Based on amount of emails received regarding AQ neutral matters. Number likely higher as all developments which provide an AQ assessment also provide an AQ neutral assessment.
- ♦♦♦♦ Based on emails discussing marginal abatement costs

## 3.1 New or significantly changed industrial or other sources

No new sources identified.

# Appendix A Details of Monitoring Site QA/QC

# A.1 Automatic Monitoring Sites

The three automatic monitoring sites in the London Borough of Waltham Forest are currently part of the Air Quality England Network operated by Ricardo Energy & Environment. Ricardo Energy & Environment are the current data management providers. The data has traceability to national standards and operational procedures defined for the AURN network. All the monitoring sites are currently audited by Ricardo Energy & Environment. Data from the Council's automatic monitoring data can be found on the following site: <a href="http://www.airqualityengland.co.uk/">http://www.airqualityengland.co.uk/</a>

The sites are serviced every six months and are calibrated every 2 weeks by our current service and maintenance provider, Matts Monitors.

### PM<sub>10</sub> Monitoring Adjustment

Ricardo Energy & Environment add the Volatile Correction Model (VCM) for correction of conventional TEOM PM10 datasets to the Air Quality England web pages. This function automates the VCM process and enables near real time VCM corrected TEOM datasets and statistics to be generated and downloaded. Annually, when AURN FDMS TEOM datasets on which the model is based are ratified, the provisional VCM corrected data will be replaced by ratified VCM corrected datasets.

Ricardo Energy & Environment version of the VCM model follows best practice as advised by Defra and will use available FDMS data as set out within the guidance. For example the model uses the volatile fraction measured by FDMS analysers within a 130 km range where available. This process will correct conventional TEOM measurement to account for the loss of the volatile component of particulate matter due to the high sampling temperatures generated by the TEOM instrument.

# A.2 Diffusion Tube Quality Assurance / Quality Control

The Council currently uses Gradko International for the supply and analysis of its diffusion tubes. The tubes are prepared using a 20%TEA/water solution. Gradko International is UKAS accredited and follows the procedures set out in the Practical Guidance.

Refer to <a href="https://laqm.defra.gov.uk/assets/tubeprecision2016version0317finalreducedv2.pdf">https://laqm.defra.gov.uk/assets/tubeprecision2016version0317finalreducedv2.pdf</a> for the summary of precision results for nitrogen dioxide diffusion tube collocation studies. Table 1 below

| demonstrates Gradko International's performance summary for WASP/AIR quality scheme from April 2013 to February 2015. |  |
|---|--|
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |

Table 1:

The following table lists those UK laboratories undertaking LAQM activities that have participated in recent AIR NO₂ PT rounds and the percentage (%) of results submitted which were subsequently determined to be **satisfactory** based upon a z-score of ≤ ± 2 as defined above.

| AIR PT Round                                     | AIR PT<br>AR007     | AIR PT<br>AR009       | AIR PT<br>AR010               | AIR PT<br>AR012               | AIR PT<br>AR013     | AIR PT<br>AR015       | AIR PT<br>AR016             | AIR PT<br>AR018               |
|--|---------------------|-----------------------|-------------------------------|-------------------------------|---------------------|-----------------------|-----------------------------|-------------------------------|
| Round conducted in the period                    | April – May<br>2015 | July – August<br>2015 | October –<br>November<br>2015 | January –<br>February<br>2016 | April – May<br>2016 | July – August<br>2016 | September –<br>October 2016 | January –<br>February<br>2017 |
| Aberdeen Scientific Services                     | 100 %               | 75 %                  | 100 %                         | 100 %                         | 100 %               | 100 %                 | 100 %                       | 100 %                         |
| Cardiff Scientific Services                      | NR [3]              | NR [3]                | NR [3]                        | NR [3]                        | NR [3]              | NR [3]                | NR [3]                      | NR [3]                        |
| Edinburgh Scientific Services                    | 100 %               | 100 %                 | 100 %                         | 100 %                         | 100 %               | 100 %                 | 100 %                       | 100 %                         |
| Environmental Services Group,<br>Didcot [1]      | 100 %               | 100 %                 | 100 %                         | 100 %                         | 75 %                | 75 %                  | 100 %                       | 100 %                         |
| Exova (formerly Clyde<br>Analytical)             | NR [3]              | NR [3]                | NR [3]                        | NR [3]                        | NR [3]              | NR [3]                | NR [3]                      | NR [3]                        |
| Glasgow Scientific Services                      | 100 %               | 100 %                 | 100 %                         | 75 %                          | 100 %               | 0 %                   | 100 %                       | 100 %                         |
| Gradko International [1]                         | 100 %               | 100 %                 | 100 %                         | 100 %                         | 100 %               | 100 %                 | 100 %                       | 100 %                         |
| Kent Scientific Services                         | NR [3]              | NR [3]                | NR [3]                        | NR [3]                        | NR [3]              | NR [3]                | NR [3]                      | NR [3]                        |
| Kirklees MBC                                     | 100 %               | 100 %                 | 100 %                         | 100 %                         | 100 %               | 100 %                 | NR [2]                      | NR [2]                        |
| Lambeth Scientific Services                      | 100 %               | 100 %                 | 100 %                         | 100 %                         | 100 %               | 100 %                 | 75 %                        | 100 %                         |
| Milton Keynes Council                            | 100 %               | 100 %                 | 100 %                         | 50 %                          | 100 %               | 100 %                 | 75 %                        | 100 %                         |
| Northampton Borough Council                      | 100 %               | 100 %                 | 100 %                         | 50 %                          | 100 %               | NR [2]                | 75 %                        | 0 %                           |
| Somerset Scientific Services                     | 100 %               | 100 %                 | 100 %                         | 100 %                         | 100 %               | 100 %                 | 100 %                       | 100 %                         |
| South Yorkshire Air Quality<br>Samplers          | 100 %               | 100 %                 | 75 %                          | 100 %                         | 100 %               | 75 %                  | 100 %                       | 100 %                         |
| Staffordshire County Council                     | 100 %               | 75 %                  | 75 %                          | 75 %                          | 75 %                | 100 %                 | NR [2]                      | 100 %                         |
| Tayside Scientific Services (formerly Dundee CC) | NR [2]              | NR [2]                | NR [2]                        | 100 %                         | NR [2]              | 100 %                 | NR [2]                      | 100 %                         |
| West Yorkshire Analytical<br>Services            | 75 %                | 75 %                  | 75 %                          | 75 %                          | 100 %               | NR [2]                | 50 %                        | 100 %                         |

<sup>[1]</sup> Participant subscribed to two sets of test samples (2 x 4 test samples) in each AIR PT round.

Source: https://lagm.defra.gov.uk/diffusion-tubes/ga-gc-framework.html

A bias adjustment factor of 0.94 was used to bias adjust the 2016 diffusion tubes. This figure was obtained from the National Diffusion Tube Bias Adjustment Factor Spreadsheet (spreadsheet version number 03/17 V2) provided by Defra. Previous adjustment factors were also derived from the

<sup>[2]</sup> NR No results reported

<sup>[3]</sup> Kent Scientific Services, Cardiff Scientific Services and Exova (formerly Clyde Analytical) no longer carry out NO<sub>2</sub> diffusion tube monitoring and therefore did not submit results.

National Diffusion Tube Bias Adjustment Factor Spreadsheet found on the Defra website: <a href="https://laqm.defra.gov.uk//bias-adjustment-factors/bias-adjustment.html">https://laqm.defra.gov.uk//bias-adjustment-factors/bias-adjustment-factors/bias-adjustment.html</a> Bias adjustment factors used in previous years are as follows:

Bias adjustment factors used for previous annual review and assessment reports are as follows:

| Year | Bias adjustment factor used | Lab                         |
|------|-----------------------------|-----------------------------|
| 2010 | .85                         | Bristol Scientific Services |
| 2011 | .82                         | Bristol Scientific Services |
| 2012 | .97                         | Gradko International        |
| 2013 | .95                         | Gradko International        |
| 2014 | .91                         | Gradko International        |
| 2015 | .88                         | Gradko International        |
| 2016 | .94                         | Gradko International        |

All bias adjustment factors were derived from the National Diffusion Tube Bias Adjustment Factor Spreadsheet on the Defra website.

# Factor from Local Co-location Studies / Discussion of Choice of Factor to Use

A triplicate diffusion tube local co-location study was conducted at our Dawlish Rd urban background automatic monitoring site. As seen in table 2 below, a precision and accuracy check of the local co-location study confirmed good results, however, after reviewing Box 4.10 of the LLAQM technical guidance, the Council has decided to use the National diffusion tube bias adjustment factor. The guidance also states that the national factor is likely to be more reliable which backs our decision to use the national factor.

The Council does regularly submit co-location information to the national diffusion tube study, however, due to difficulties in 2015 meeting data capture rates, the Council ceased submitting figures until 2017 when we were confident in our data capture rates. As such, Waltham Forest is not listed as a participant in the most recent National Diffusion Tube Adjustment Factor Spreadsheet.

Table 2: Bias Adjustment Figure Based on Co-location Study

### **AEA Energy & Environment** Checking Precision and Accuracy of Triplicate Tubes From the AEA group **Automatic Method Data Quality Check Diffusion Tubes Measurements** Coefficient Automatic Data Tubes Tube 1 Tube 2 Tube 3 Triplicate Standard 95% CI Period Start Date End Date of Variation Capture Precision Monitor μgm<sup>-3</sup> dd/mm/yyyy | dd/mm/yyyy | μgm<sup>-3</sup> μgm<sup>-3</sup> Mean Deviation of mean Mean (CV) (% DC) Check Data 11/01/2016 03/02/2016 35.71 42.73 40.26 40 3.6 9 8.8 96.9 Good Good 03/02/2016 29/02/2016 39.7 38.72 35.94 38 2.0 5 4.8 38 92 Good Good 01/04/2016 25.79 24.54 26 98.6 29/02/2016 25 0.8 3 2.0 Good Good 28 01/04/2016 29/04/2016 26.7 28.8 24.86 27 2.0 7 4.9 99.9 Good Good 26/05/2016 25.55 24.72 24.38 99.2 29/04/2016 25 0.6 2 1.5 Good Good 19 26/05/2016 24/06/2016 23.89 22.87 20.31 22 1.8 4.6 90.5 8 Good Good 20.56 24/06/2016 26/07/2016 20.31 19.76 20 0.4 2 1.0 65 Good r Data Capture 17 25/08/2016 19.15 20.49 20.81 98.8 26/07/2016 20 0.9 4 2.2 Good Good 25/08/2016 28/09/2016 28.66 28.83 28.07 29 0.4 1 1.0 99.6 Good Good 10 28/09/2016 26/10/2016 28.85 99.7 Good 26/10/2016 01/12/2016 43.8 41.96 43.15 43 0.9 2 2.3 42 99.3 Good 11 Good 49.93 47.74 12 01/12/2016 06/01/2017 50.58 49 1.5 3 3.7 98.5 Good Good Good It is necessary to have results for at least two tubes in order to calculate the precision of the measurements Good Overall survey --> precision Overall DC (Check average CV & DC from Site Name/ ID: **Dawlish Road** 11 out of 11 periods have a CV smaller than 20% Precision Accuracy calculations) (with 95% confidence interval) (with 95% confidence interval) Accuracy Accuracy without periods with CV larger than 20% WITH ALL DATA 50% Bias calculated using 10 periods of data Bias calculated using 10 periods of data 25% 0.98 (0.91 - 1.06) 0.98 (0.91 - 1.06) Bias factor A Bias factor A 2% (-5% - 9%) 2% (-5% - 9%) Diffusion Tube Bias B Bias B 32 µgm<sup>-3</sup> 32 µgm<sup>-3</sup> **Diffusion Tubes Mean:** Diffusion Tubes Mean: -25% 5 Mean CV (Precision): 5 Mean CV (Precision): 31 µgm<sup>-3</sup> 31 µgm<sup>-3</sup> **Automatic Mean:** Automatic Mean: Data Capture for periods used: 97% Data Capture for periods used: 97% µgm<sup>-3</sup> Adjusted Tubes Mean: 31 (29 - 34) Adjusted Tubes Mean: 31 (29 - 34) µgm<sup>-3</sup> Jaume Targa, for AEA Version 04 - February 2011

# A.3 Adjustments to the Ratified Monitoring Data

Short-term to Long-term Data Adjustment

No adjustments have been calculated as Ricardo Energy & Environment conduct all the relevant calculations for their customers.

# Appendix B Full Monthly Diffusion Tube Results for 2016

Table N. NO<sub>2</sub> Diffusion Tube Results

| Site ID              | Valid data<br>capture for<br>monitoring<br>period % <sup>a</sup> | capture | Annual Mean NO₂ |       |       |       |       |       |       |       |       |       |       |       |  |                                      |
|----------------------|--|---------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--------------------------------------|
|                      |  |         | Jan             | Feb   | March | Apr   | May   | June  | Jul   | Aug   | Sept  | Oct   | Nov   | Dec   | Annual<br>mean<br>– raw<br>data <sup>c</sup> | Annual<br>mean –<br>bias<br>adjusted |
| Chingford            | N/A  | 91.67%  | 35.35           | 28.91 | 23.84 | n/a   | 21.81 | 22.38 | 20.42 | 20.11 | 30.08 | 26.84 | 39.84 | 48.83 | 28.95  | 27.21                                |
| Dawlish Rd<br>tube 1 | N/A  | 100%    | 35.71           | 39.70 | 25.79 | 26.70 | 25.55 | 23.89 | 20.31 | 19.15 | 28.66 | 28.85 | 43.80 | 50.58 | 30.72  | 28.88                                |
| Tube 2               | N/A  | 91.67%  | 42.73           | 38.72 | 24.54 | 28.80 | 24.72 | 22.87 | 19.76 | 20.49 | 28.83 | n/a   | 41.96 | 49.93 | 31.21  | 29.34                                |
| Tube 3               | N/A  | 91.67%  | 40.26           | 35.94 | 26.00 | 24.86 | 24.38 | 20.31 | 20.56 | 20.81 | 28.07 | n/a   | 43.15 | 47.74 | 30.19  | 28.38                                |
| Leyton               | N/A  | 100%    | 53.83           | 50.79 | 41.09 | 50.97 | 43.94 | 45.27 | 50.23 | 45.81 | 56.50 | 74.41 | 70.99 | 75.86 | 54.97  | 51.68                                |
| Connaught<br>School  | N/A  | 91.67%  | 59.17           | 45.85 | 37.48 | 42.89 | 40.53 | 40.20 | n/a   | 28.26 | 43.68 | 40.52 | 53.64 | 68.56 | 45.53  | 42.79                                |

Exceedance of the NO<sub>2</sub> annual mean AQO of 40 μgm<sup>-3</sup> are shown in **bold**.

<sup>&</sup>lt;sup>a</sup> data capture for the monitoring period, in cases where monitoring was only carried out for part of the year

<sup>&</sup>lt;sup>b</sup> data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%)

<sup>&</sup>lt;sup>c</sup> Means should be "annualised" in accordance with LLAQM Technical Guidance, if valid data capture is less than 75%

# Appendix C Letter from Council Leader Demonstrating Commitment to Being an Exemplar Borough

Leader's Office London Borough of Waltham Forest

Boris Johnson Mayor of London City Hall Queen's Walk London SE1 2AA

**Dear Boris** 

# **Becoming a Cleaner Air Borough**

As part of the London Borough of Waltham Forest's application to the Mayor's Air Quality Fund, I am writing to confirm that my borough will be signing up to the Cleaner Air Exemplar Borough Criteria (political leadership, taking action, leading by example, informing the public, using the planning system and integrating air quality into public health) and will be actively working towards meeting them.

I look forward to working with you to continue improving air quality in Waltham Forest and London as a whole.

Kind regards

Councillor Chris Robbins Leader London Borough of Waltham Forest