

21 Bloomsbury Street London WC1B 3HF

Ruth Hayhurst

By email to: request-658792-2a7fa8a2@whatdotheyknow.com

Our ref: FOI-2020-0022

13 May 2020

Dear Ms Hayhurst,

Thank you for your email of **10 April**, in which you requested:

"Please provide a list of 14th round PEDL licences where the initial term has been extended beyond that agreed when the licence was issued. Please state the duration of any extension for each of these licences.?"

We have considered your request under the Freedom of Information Act 2000 (**FOIA**) and, where relevant, the Environmental Information Regulations 2004 (**EIR**).

There are 22 PEDLs which have had their initial term extended. The table below sets out the licence number in the left column and the period of extension in the right.

Licence	Comments
PEDL257	3 years
PEDL273	3 years
PEDL276	2 years
PEDL278	3 years
PEDL287	2 years
PEDL288	2 years



Autin	Officy
PEDL290	2 years
PEDL305	3 years
PEDL306	3 years
PEDL316	3 years
PEDL320	2 years
PEDL321	2 years
PEDL326	3 years
PEDL327	2 years
PEDL329	2 years
PEDL331	2 years
PEDL333	2 years
PEDL334	3 years
PEDL342	2 years
PEDL344	2 years
PEDL346	2 years
PEDL347	2 years
l-	

This concludes the OGA's handling of your request.

## **Appeals Procedure**

If you are unhappy with the way the OGA has handled your request, you may request an internal review. A request for an internal review should be made within 40 working days of the date of receipt of the response to your request and should be addressed to: FOI Manager, Oil and Gas Authority, 21 Bloomsbury Street, London, WC1B 3HF Email: <a href="mailto:foirequests@ogauthority.co.uk">foirequests@ogauthority.co.uk</a>

Please quote the reference number above in any future communications with regard to this request.



If you are unhappy with the outcome of the internal review, you may contact the Information Commissioner at <a href="www.ico.org.uk">www.ico.org.uk</a> or at Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF.

Yours sincerely		
FOI Officer.		