

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
	In Situ Concrete					
17.0005	In Situ Concrete Class C16/20.	m³				
17.0010	In Situ Concrete Class C20/20.	m³				
17.0015	In Situ Concrete Class C25/30.	m³				
17.0020	In Situ Concrete Class C30/25.	m³				
17.0025	In Situ Concrete Class C32/40.	m³				
17.0030	In Situ Concrete Class C40/20.	m³				
17.0035	In Situ Concrete mix reference ST1 in blinding 75 mm thickness or less.	m³				
17.0040	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m³				
17.0045	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m³				
	Precast Concrete					
	Not Used					
	Surface Finish of Concrete - Formwork					
17.0050	Formwork Class F1 horizontal more than 300 mm wide.	m²				
17.0055	Formwork Class F1 inclined more than 300 mm wide	m²				
17.0060	Formwork Class F1 vertical more than 300 mm wide.	m²				
17.0065	Formwork Class F1 300 mm wide or less at any inclination.	m²				
17.0070	Formwork Class F1 curved of both girth and width more than 300 mm at any inclination.	m²				
17.0075	Formwork Class F1 curved of girth or width 300 mm or less at any	m²				
17.0080	Formwork Class F2 horizontal more than 300 mm wide.	m²				
17.0085	Formwork Class F2 inclined more than 300 mm wide.	m²				
17.0090	Formwork Class F2 vertical more than 300 mm wide.	m²				
17.0095	Formwork Class F2 300 mm wide or less at any inclination.	m²				
17.0100	Formwork Class F2 curved of both girth and width more than 300 mm at any inclination.	m²				
17.0105	Formwork Class F2 curved of girth or width 300 mm or less at any	m²				
17.0110	Formwork Class F3 horizontal more than 300 mm wide.	m²				
17.0115	Formwork Class F3 inclined more than 300 mm wide.	m²				
17.0120	Formwork Class F3 vertical more than 300 mm wide.	m²				
17.0125	Formwork Class F3 300 mm wide or less at any inclination.	m²				
17.0130	Formwork Class F3 curved of both girth and width more than 300 mm at any inclination.	m²				
17.0135	Formwork Class F3 curved of girth or width 300 mm or less at any	m²				
17.0140	Formwork Class F4 horizontal more than 300 mm wide.	m²				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
17.0145	Formwork Class F4 inclined more than 300 mm wide.	m ²				
17.0150	Formwork Class F4 vertical more than 300 mm wide.	m ²				
17.0155	Formwork Class F4 300 mm wide or less at any inclination.	m ²				
17.0160	Formwork Class F4 curved of both girth and width more than 300 mm at any inclination.	m ²				
17.0165	Formwork Class F4 curved of girth or width 300 mm or less at any	m ²				
17.0170	Formwork Class F5 horizontal more than 300 mm wide.	m ²				
17.0175	Formwork Class F5 inclined more than 300 mm wide	m ²				
17.0180	Formwork Class F5 vertical more than 300 mm wide.	m ²				
17.0185	Formwork Class F5 300 mm wide or less at any inclination.	m ²				
17.0190	Formwork Class F5 curved of both girth and width more than 300 mm at any inclination.	m ²				
17.0195	Formwork Class F5 curved of girth or width 300 mm or less at any	m ²				
17.0200	Formwork Class F6 horizontal more than 300 mm wide.	m ²				
17.0205	Formwork Class F6 inclined more than 300 mm wide.	m ²				
17.0210	Formwork Class F6 vertical more than 300 mm wide.	m ²				
17.0215	Formwork Class F6 300 mm wide or less at any inclination.	m ²				
17.0220	Formwork Class F6 curved of both girth and width more than 300 mm at any inclination.	m ²				
17.0225	Formwork Class F6 curved of girth or width 300 mm or less at any	m ²				
17.0230	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m ²				
17.0235	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m ²				
Steel Reinforcement for Structures						
17.0240	High yield steel bar reinforcement nominal size 16 mm and under, not exceeding 12 metres.	t				
17.0245	High yield steel bar reinforcement nominal size 20 mm and over, not exceeding 12 metres.	t				
17.0250	Mild steel bar reinforcement nominal size 16 mm and under, not exceeding 12 metres.	t				
17.0255	Mild steel bar reinforcement nominal size 20mm and over, not exceeding 12 metres.	t				
17.0260	Welded steel fabric reinforcement for concrete repairs, 50mm x 50mm, grade 2.36 kg/m ² .	m ²				
17.0265	Welded steel fabric reinforcement, grade 10.90 kg/m ² .	m ²				
17.0270	Welded steel fabric reinforcement, grade 6.16 kg/m ² .	m ²				
17.0275	Welded steel fabric reinforcement, grade 3.95 kg/m ² .	m ²				
17.0280	Welded steel fabric reinforcement, grade 2.22 kg/m ² .	m ²				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
	Removal of Concrete Other Than Concrete Repairs to Soffits					
17.0285	Individual breakout volume not exceeding 0.25m3	nr				
17.0290	Individual breakout volume exceeding 0.25m3 but not 0.50m3	nr				
17.0295	Individual breakout volume exceeding 0.50m3 but not 0.75m3	nr				
17.0300	Individual breakout volume exceeding 0.75m3 but not 1.00m3	nr				
17.0305	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0310	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0315	Individual breakout volume exceeding 1.00m3	m3				
17.0320	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m3				
17.0325	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m3				
	Removal of Concrete Other Than Concrete Repairs to Any Other Structural Member					
17.0330	Individual breakout volume not exceeding 0.25m3	nr				
17.0335	Individual breakout volume exceeding 0.25m3 but not 0.50m3	nr				
17.0340	Individual breakout volume exceeding 0.50m3 but not 0.75m3	nr				
17.0345	Individual breakout volume exceeding 0.75m3 but not 1.00m3	nr				
17.0350	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0355	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0360	Individual breakout volume exceeding 1.00m3	m3				
17.0365	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m3				
17.0370	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m3				
	Structural Concrete Repairs to Wall or Column Faces					
	Depth not exceeding 25mm					
17.0375	Individual area not exceeding 0.01m²	nr				
17.0380	Individual area exceeding 0.01m² but not 0.05m²	nr				
17.0385	Individual area exceeding 0.05m² but not 0.10m²	nr				
17.0390	Individual area exceeding 0.10m² but not 0.25m²	nr				
17.0395	Individual area exceeding 0.25m² but not 0.50m²	nr				
17.0400	Individual area exceeding 0.50m² but not 1.00m²	nr				
17.0405	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
17.0410	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0415	Individual areas exceeding 1.00m²	m²				
17.0420	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m²				
17.0425	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m²				
Depth exceeding 25mm but not exceeding 50mm						
17.0430	Individual area not exceeding 0.01m²	nr				
17.0435	Individual area exceeding 0.01m² but not 0.05m²	nr				
17.0440	Individual area exceeding 0.05m² but not 0.10m²	nr				
17.0445	Individual area exceeding 0.10m² but not 0.25m²	nr				
17.0450	Individual area exceeding 0.25m² but not 0.50m²	nr				
17.0455	Individual area exceeding 0.50m² but not 1.00m²	nr				
17.0460	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0465	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0470	Individual areas exceeding 1.00m²	m²				
17.0475	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m²				
17.0480	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m²				
Depth exceeding 50mm but not exceeding 75mm						
17.0485	Individual area not exceeding 0.01m²	nr				
17.0490	Individual area exceeding 0.01m² but not 0.05m²	nr				
17.0495	Individual area exceeding 0.05m² but not 0.10m²	nr				
17.0500	Individual area exceeding 0.10m² but not 0.25m²	nr				
17.0505	Individual area exceeding 0.25m² but not 0.50m²	nr				
17.0510	Individual area exceeding 0.50m² but not 1.00m²	nr				
17.0515	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0520	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0525	Individual areas exceeding 1.00m²	m²				
17.0530	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m²				
17.0535	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m²				
Structural Concrete Repairs Within Ceilings or Soffits of Slabs						
Depth not exceeding 25mm						

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100- 499.99	D 500+
17.0540	Individual area not exceeding 0.01m ²	nr				
17.0545	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.0550	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
17.0555	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.0560	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.0565	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.0570	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0575	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0580	Individual areas exceeding 1.00m ²	m ²				
17.0585	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m ²				
17.0590	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m ²				
Depth exceeding 25mm but not exceeding 50mm						
17.0595	Individual area not exceeding 0.01m ²	nr				
17.0600	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.0605	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
17.0610	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.0615	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.0620	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.0625	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0630	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0635	Individual areas exceeding 1.00m ²	m ²				
17.0640	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m ²				
17.0645	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m ²				
Depth exceeding 50mm but not exceeding 75mm						
17.0650	Individual area not exceeding 0.01m ²	nr				
17.0655	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.0660	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
17.0665	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.0670	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.0675	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.0680	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
17.0685	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0690	Individual areas exceeding 1.00m²	m²				
17.0695	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m²				
17.0700	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m²				
	Structural Concrete Repairs to Sides and Soffits of Beams and Lintels					
	Depth not exceeding 25mm					
17.0705	Individual area not exceeding 0.01m²	nr				
17.0710	Individual area exceeding 0.01m² but not 0.05m²	nr				
17.0715	Individual area exceeding 0.05m² but not 0.10m²	nr				
17.0720	Individual area exceeding 0.10m² but not 0.25m²	nr				
17.0725	Individual area exceeding 0.25m² but not 0.50m²	nr				
17.0730	Individual area exceeding 0.50m² but not 1.00m²	nr				
17.0735	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0740	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0745	Individual areas exceeding 1.00m²	m²				
17.0750	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m²				
17.0755	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m²				
	Depth exceeding 25mm but not exceeding 50mm					
17.0760	Individual area not exceeding 0.01m²	nr				
17.0765	Individual area exceeding 0.01m² but not 0.05m²	nr				
17.0770	Individual area exceeding 0.05m² but not 0.10m²	nr				
17.0775	Individual area exceeding 0.10m² but not 0.25m²	nr				
17.0780	Individual area exceeding 0.25m² but not 0.50m²	nr				
17.0785	Individual area exceeding 0.50m² but not 1.00m²	nr				
17.0790	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0795	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0800	Individual areas exceeding 1.00m²	m²				
17.0805	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m²				
17.0810	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m²				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
18.0815	Depth exceeding 50mm but not exceeding 75mm Individual area not exceeding 0.01m ²	nr				
17.0820	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.0725	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
18.0830	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.0835	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.0840	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.0845	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0850	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0855	Individual areas exceeding 1.00m ²	m ²				
17.0860	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m ²				
17.0865	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m ²				
	Structural Concrete Repairs to Top Surfaces of Slabs					
	Depth not exceeding 25mm					
17.0870	Individual area not exceeding 0.01m ²	nr				
17.0875	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.0880	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
17.0885	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.0890	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.0895	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.0900	Individual areas exceeding 1.00m ²	m ²				
	Depth exceeding 25mm but not exceeding 50mm					
17.0905	Individual area not exceeding 0.01m ²	nr				
17.0910	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.0915	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
17.0920	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.0925	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.0930	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.0935	Individual areas exceeding 1.00m ²	m ²				
	Depth exceeding 50mm but not exceeding 75mm					
17.0940	Individual area not exceeding 0.01m ²	nr				
17.0945	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.0950	Individual area exceeding 0.05m ² but not 0.10m ²	nr				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
17.0955	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.0960	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.0965	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.0970	Individual areas exceeding 1.00m ²	m ²				
	Structural Concrete Repairs to Arrises of Walls and Columns					
	Depth not exceeding 25mm; width not exceeding 150mm					
17.0975	Length not exceeding 300mm	nr				
17.0980	Length exceeding 300mm but not 600mm	nr				
17.0985	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.0990	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.0995	Length exceeding 600mm	m				
17.1000	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m				
17.1005	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m				
	Depth not exceeding 25mm; width exceeding 150mm but not 300mm					
17.1010	Length not exceeding 300mm	nr				
17.1015	Length exceeding 300mm but not 600mm	nr				
17.1020	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.1025	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.1030	Length exceeding 600mm	m				
17.1035	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m				
17.1040	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m				
	Structural Concrete Repairs to Arrises of Beams and Lintels					
	Depth not exceeding 25mm; width not exceeding 150mm					
17.1045	Length not exceeding 300mm	nr				
17.1050	Length exceeding 300mm but not 600mm	nr				
17.1055	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.1060	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.1065	Length exceeding 600mm	m				
17.1070	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m				
17.1075	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
17.1080	Depth not exceeding 25mm; width exceeding 150mm but not 300mm Length not exceeding 300mm	nr				
17.1085	Length exceeding 300mm but not 600mm	nr				
17.1090	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.1095	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.1100	Length exceeding 600mm	m				
17.1105	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m				
17.1110	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m				
	Structural Concrete Repairs to Corners of Slabs					
	Depth not exceeding 25mm					
17.1115	Individual area not exceeding 0.01m ²	nr				
17.1120	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.1125	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
17.1130	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.1135	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.1140	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.1145	Individual areas exceeding 1.00m ²	m ²				
	Depth exceeding 25mm but not exceeding 50mm					
17.1150	Individual area not exceeding 0.01m ²	nr				
17.1155	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.1160	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
17.1165	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.1170	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.1175	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.1180	Individual areas exceeding 1.00m ²	m ²				
	Depth exceeding 50mm but not exceeding 75mm					
17.1185	Individual area not exceeding 0.01m ²	nr				
17.1190	Individual area exceeding 0.01m ² but not 0.05m ²	nr				
17.1195	Individual area exceeding 0.05m ² but not 0.10m ²	nr				
17.1200	Individual area exceeding 0.10m ² but not 0.25m ²	nr				
17.1205	Individual area exceeding 0.25m ² but not 0.50m ²	nr				
17.1210	Individual area exceeding 0.50m ² but not 1.00m ²	nr				
17.1215	Individual areas exceeding 1.00m ²	m ²				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
	Crack Repairs in Surfaces of Walls, Columns, etc					
	After cutting out width not exceeding 5mm, depth not exceeding 100mm					
17.1220	Crack length not exceeding 150mm	nr				
17.1225	Crack length exceeding 150mm but not 300mm	nr				
17.1230	Crack length exceeding 300mm but not 1.00m	nr				
17.1235	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.1240	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.1245	Crack length exceeding 1.00m	m				
17.1250	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m				
17.1255	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m				
	After cutting out, width 10mm, depth 20mm					
17.1260	Crack length not exceeding 150mm	nr				
17.1265	Crack length exceeding 150mm but not 300mm	nr				
17.1270	Crack length exceeding 300mm but not 1.00m	nr				
17.1275	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	nr				
17.1280	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	nr				
17.1285	Crack length exceeding 1.00m	m				
17.1290	Extra Over for working height exceeding 5.0 metres but not exceeding 7.5 metres	m				
17.1295	Extra Over for working height exceeding 7.5 metres but not exceeding 10.0 metres	m				
	Formwork For Concrete Repairs					
17.1300	Formwork Class F2 horizontal more than 300 mm wide.	m ²				
17.1305	Formwork Class F2 inclined more than 300 mm wide.	m ²				
17.1310	Formwork Class F2 vertical more than 300 mm wide.	m ²				
17.1315	Formwork Class F2 300 mm wide or less at any inclination.	m ²				
17.1320	Formwork Class F2 curved of both girth and width more than 300 mm at any inclination.	m ²				
17.1325	Formwork Class F2 curved of girth or width 300 mm or less at any inclination.	m ²				
	Steel Reinforcement for Concrete Repairs					
17.1330	High yield steel bar reinforcement nominal size 8mm, not exceeding 2 metres in length	nr				
17.1335	High yield steel bar reinforcement nominal size 12mm, not exceeding 2 metres in length	nr				

Series 1700: Structural Concrete			Rate £ : p			
Item No.	Description	Unit	For Quantity Band			
			A 0-9.99	B 10-99.99	C 100-499.99	D 500+
17.1340	High yield steel bar reinforcement nominal size 16mm, not exceeding 2 metres in length	nr				
17.1345	High yield steel bar reinforcement nominal size 20mm, not exceeding 2 metres in length	nr				
17.1350	High yield steel bar reinforcement nominal size 25mm, not exceeding 2 metres in length	nr				
17.1355	High yield steel bar reinforcement nominal size 32mm, not exceeding 2 metres in length	nr				
17.1360	High yield steel bar reinforcement nominal size 40mm, not exceeding 2 metres in length	nr				
17.1365	Welded steel fabric reinforcement, grade 2.36 kg/m ² . in isolated Individual areas	m ²				
17.1370	Dowel bar nominal size 8mm, not exceeding 500mm in length	nr				
17.1375	Dowel bar nominal size 12mm, not exceeding 500mm in length	nr				
17.1380	Dowel bar nominal size 16mm, not exceeding 500mm in length	nr				
17.1385	Dowel bar nominal size 20mm, not exceeding 500mm in length	nr				
17.1390	Dowel bar nominal size 25mm, not exceeding 500mm in length	nr				
17.1395	Dowel bar nominal size 32mm, not exceeding 500mm in length	nr				
17.1400	Dowel bar nominal size 40mm, not exceeding 500mm in length	nr				