

Code/Seq: Sgl/1 (201404)

House/Locn: Side Of 22 and diagonally opp. I

Description: Broadhurst Avenue

Species: Malus sp.

Common: Apple species

Tree-works visit 31/05/2016 **at:** 18:00

Condition: Good

Tree works carried out:

Crown Lift to 3m

Recommendations:

None recorded..

Previous Inspection 01/12/2015 **at:** 11:28

Condition: Good

Recommendations:

Crown Lift to 3m

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Good

Tree works carried out:

Crown Lift to 3m

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:26

Condition: Good

Recommendations:

Crown Lift to 3m

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

Young tree maint/Formative Prune - YTM

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

YOUNG TREE MAINTENANCE - A5-YTM

Recommendations:

None recorded..

Code/Seq: Sgl/2 (201408)

House/Locn: Side Of 22 at junction

Description: Broadhurst Avenue

Species: Koelreuteria paniculata

Common: Pride of India

Tree-works visit 16/05/2016 **at:** 18:00

Condition: Excellent

Tree works carried out:

Crown Lift to 3m (Awaiting)

Recommendations:

None recorded..

Previous Inspection 01/12/2015 **at:** 11:28

Condition: Excellent

Recommendations:

Crown Lift to 3m

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Excellent

Tree works carried out:

Crown Lift to 3m

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:28

Condition: Excellent

Recommendations:

Crown Lift to 3m

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Excellent

Tree works carried out:

General Prune - GP

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Excellent

Recommendations:

None recorded..

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Excellent

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Code/Seq: Sgl/3 (201412)

House/Locn: Side Of 20

Description: Broadhurst Avenue

Species: Prunus sp.

Common: Cherry sp

Last Inspection 01/12/2015 **at:** 10:44

Condition: Good

Recommendations:

None recorded..

Previous Inspection 17/07/2014 **at:** 12:55

Condition: Good

Recommendations:

None recorded..

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Good

Tree works carried out:

General Prune

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:30

Condition: Good

Recommendations:

General Prune

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

General Prune - GP

Recommendations:

None recorded..

Inspectors Comments:

Root Trip

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Inspectors Comments:

Root Trip

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Inspectors Comments:

Root Trip

Code/Seq: Sgl/5 (218004)

House/Locn: Outside 36

Description: Windsor Avenue

Species: Malus sp.

Common: Apple species

Last Inspection 01/12/2015 **at:** 11:23

Condition: Good

Recommendations:

None recorded..

Tree-works visit 12/11/2015 **at:** 12:00

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species -
Remove basal and trunk suckers up to crown to ensure
road clearance to 3m.

Recommendations:

None recorded..

Previous Inspection 14/10/2015 **at:** 10:17

Condition: Good

Recommendations:

Remove Basal Growth - Ornamental & Other Species -
Remove basal and trunk suckers up to crown to ensure
road clearance to 3m.

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 13:08

Condition: Good

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Previous Inspection 11/08/2011 **at:** 15:28

Condition: Good

Recommendations:

Crown Lift to 3m

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

General Prune - GP

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Code/Seq: Sgl/6 (218008)

House/Locn: Outside 28

Description: Windsor Avenue

Species: Prunus sp.

Common: Cherry sp

Tree-works visit 31/05/2016 **at:** 18:00

Condition: Good

Tree works carried out:

Crown Lift to 3m

Recommendations:

None recorded..

Previous Inspection 01/12/2015 **at:** 11:24

Condition: Good

Recommendations:

Crown Lift to 3m

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Good

Tree works carried out:

Crown Lift to 3m

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 13:09

Condition: Good

Recommendations:

Crown Lift to 3m

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

Remove stake - RMS

Young tree maint/Formative Prune - YTM

Recommendations:

None recorded..

Inspectors Comments:

De-stake

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

Remove stake - RMS

Young tree maint/Formative Prune - YTM

Recommendations:

None recorded..

Inspectors Comments:

De-stake

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Inspectors Comments:

De-stake

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

YOUNG TREE MAINTENANCE - A5-YTM

Recommendations:

None recorded..

Inspectors Comments:

De-stake

Code/Seq: Sgl/7 (218012)

House/Locn: Outside 16

Description: Windsor Avenue

Species: Prunus sp.

Common: Cherry sp

Tree-works visit 16/05/2016 **at:** 18:00

Condition: Good

Tree works carried out:

Minor Works (Awaiting) - Phone lines

Recommendations:

None recorded..

Previous Inspection 01/12/2015 **at:** 11:25

Condition: Good

Recommendations:

Minor Works - Phone lines

Tree-works visit 18/06/2015 **at:** 18:14

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Previous Inspection 13/05/2015 **at:** 16:48

Condition: Good

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 23/06/2014 **at:** 12:00

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Previous Inspection 05/06/2014 **at:** 15:28

Condition: Good

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 03/06/2013 **at:** 12:00

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Tree-works visit 29/05/2013 **at:** 17:03

Condition: Good

Tree works carried out:

None recorded..

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Good

Tree works carried out:

General Prune

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 13:11

Condition: Good

Recommendations:

General Prune

Tree-works visit 31/08/2012 **at:** 13:59

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Tree-works visit 13/06/2011 **at:** 15:15

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

General Prune - GP

Recommendations:

None recorded..

Inspectors Comments:

Basal Growth

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Inspectors Comments:

Basal Growth

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

YOUNG TREE MAINTENANCE - A5-YTM

Recommendations:

None recorded..

Inspectors Comments:

Basal Growth

Code/Seq: Sgl/8 (218016)

House/Locn: Outside 4

Description: Windsor Avenue

Species: Amelanchier arborea Robin Hill

Common: Serviceberry

Last Inspection 01/12/2015 **at:** 11:26

Condition: Good

Recommendations:

None recorded..

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 13:14

Condition: Good

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

General Prune - GP

Recommendations:

None recorded..

Inspectors Comments:

Overhead Wires

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Inspectors Comments:

Overhead Wires

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Inspectors Comments:

Overhead Wires

Code/Seq: Sgl/9 (218020)

House/Locn: Outside 2

Description: Windsor Avenue

Species: Malus sp.

Common: Apple species

Last Inspection 01/12/2015 **at:** 11:26

Condition: Poor

Recommendations:

None recorded..

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Poor

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:21

Condition: Poor

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Poor

Tree works carried out:

Young tree maint/Formative Prune - YTM

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Poor

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Poor

Tree works carried out:

YOUNG TREE MAINTENANCE - A5-YTM

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Code/Seq: Sgl/10 (218024)

House/Locn: Opposite 1

Description: Windsor Avenue

Species: Prunus sp.

Common: Cherry sp

Last Inspection 01/12/2015 **at:** 11:27

Condition: Good

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:23

Condition: Good

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Inspectors Comments:

no work required

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Inspectors Comments:

no work required

Code/Seq: Sgl/11 (218028)

House/Locn: Outside 1

Description: Windsor Avenue

Species: Crataegus x prunifolia Splendens

Common: Broad-leaved Cockspur Thorn

Last Inspection 01/12/2015 **at:** 10:45

Condition: Good

Recommendations:

None recorded..

Tree-works visit 30/04/2015 **at:** 12:00

Condition: Good

Tree works carried out:

Plant tree in tarmac areas - Cratageus prunifolia Splendens. Resident Request.

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:32

Condition:

Recommendations:

Plant tree in tarmac areas - Cratageus prunifolia Splendens. Resident Request.

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

Crown reduce 30% - Reduce 1

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Code/Seq: Sgl/12 (218032)

House/Locn: Outside 7

Description: Windsor Avenue

Species: Prunus kanzan

Common: Ornamental Cherry

Notes:

05TR000147

Â£260 payout

Last Inspection 01/12/2015 **at:** 10:46

Condition: Fair

Recommendations:

None recorded..

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Fair

Tree works carried out:

General Prune

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:33

Condition: Fair

Recommendations:

General Prune

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

General Prune - GP

Remove Climbers - Ivy

Recommendations:

None recorded..

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

General Prune - GP

Remove Climbers - Ivy

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Code/Seq: Sgl/13 (218036)

House/Locn: Outside 15

Description: Windsor Avenue

Species: Amelanchier arborea Robin Hill

Common: Serviceberry

Last Inspection 01/12/2015 **at:** 10:48

Condition: Good

Recommendations:

None recorded..

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Good

Tree works carried out:

Crown Lift to 3m

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:36

Condition: Good

Recommendations:

Crown Lift to 3m

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

Young tree maint/Formative Prune - YTM

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

YOUNG TREE MAINTENANCE - A5-YTM

Recommendations:

None recorded..

Code/Seq: Sgl/14 (218040)

House/Locn: Between 17/19
Description: Windsor Avenue

Species: Corylus colurna
Common: Turkish Hazel

Tree-works visit 16/05/2016 **at:** 18:00

Condition: Excellent

Tree works carried out:

Crown Lift to 3m (Awaiting)

Recommendations:

None recorded..

Previous Inspection 01/12/2015 **at:** 10:48

Condition: Excellent

Recommendations:

Crown Lift to 3m

Tree-works visit 18/06/2015 **at:** 18:14

Condition: Excellent

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Previous Inspection 13/05/2015 **at:** 16:48

Condition: Excellent

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 23/06/2014 **at:** 12:00

Condition: Excellent

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Previous Inspection 05/06/2014 **at:** 15:28

Condition: Excellent

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 03/06/2013 **at:** 12:00

Condition: Excellent

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Tree-works visit 29/05/2013 **at:** 17:03

Condition: Excellent

Tree works carried out:

None recorded..

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Excellent

Tree works carried out:

Stepped lift

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:37

Condition: Excellent

Recommendations:

Stepped lift

Tree-works visit 31/08/2012 **at:** 13:59

Condition: Excellent

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Tree-works visit 13/06/2011 **at:** 15:15

Condition: Excellent

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Excellent

Tree works carried out:

General Prune - GP

Recommendations:

None recorded..

Inspectors Comments:

Basal Growth

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Excellent

Recommendations:

None recorded..

Inspectors Comments:

Basal Growth

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Excellent

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Inspectors Comments:

Basal Growth

Code/Seq: Sgl/16 (218048)

House/Locn: Outside 31

Description: Windsor Avenue

Species: Amelanchier arborea Robin Hill

Common: Serviceberry

Last Inspection 01/12/2015 **at:** 10:52

Condition: Good

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:41

Condition: Good

Recommendations:

None recorded..

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species -
Basal 2

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

YOUNG TREE MAINTENANCE - A5-YTM
YOUNG TREE MAINTENANCE - A5-YTM

Recommendations:

None recorded..

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

YOUNG TREE MAINTENANCE - A5-YTM
YOUNG TREE MAINTENANCE - A5-YTM

Recommendations:

None recorded..

Code/Seq: Sgl/17 (218052)

House/Locn: Outside 37

Description: Windsor Avenue

Species: Prunus sp.

Common: Cherry sp

Tree-works visit 16/05/2016 **at:** 18:00

Condition: Good

Tree works carried out:

Crown Lift to 3m (Awaiting)

Recommendations:

None recorded..

Previous Inspection 01/12/2015 **at:** 10:52

Condition: Good

Recommendations:

Crown Lift to 3m

Previous Inspection 23/10/2012 **at:** 12:42

Condition: Good

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Good

Recommendations:

None recorded..

Inspectors Comments:

no work required

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Good

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Inspectors Comments:

no work required

Code/Seq: Sgl/18 (218056)

House/Locn: Outside 45

Description: Windsor Avenue

Species: Crataegus x prunifolia

Common: Broad-leaved Cockspur Thorn

Tree-works visit 16/05/2016 **at:** 18:00

Condition: Good

Tree works carried out:

Crown Lift to 3m (Awaiting)

Recommendations:

None recorded..

Previous Inspection 01/12/2015 **at:** 10:53

Condition: Good

Recommendations:

Crown Lift to 3m

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Good

Tree works carried out:

Remove Basal Growth - Ornamental & Other Species

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:43

Condition: Good

Recommendations:

Remove Basal Growth - Ornamental & Other Species

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Excellent

Tree works carried out:

General Prune - GP

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Excellent

Recommendations:

None recorded..

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Excellent

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Code/Seq: Sgl/19 (218060)

House/Locn: Outside 47

Description: Windsor Avenue

Species: Magnolia kobus

Common: Magnolia

Last Inspection 22/03/2017 **at:** 09:19

Condition: Excellent

Recommendations:

Plant Tree in Hard Surface

Previous Inspection 01/12/2015 **at:** 10:53

Condition: Dead

Recommendations:

Plant tree in soft ground - magnolia kobus

Tree-works visit 25/11/2015 **at:** 13:58

Condition: Felled/Fallen

Tree works carried out:

Fell & grind stump

Recommendations:

Plant tree in soft ground - magnolia kobus

Previous Inspection 05/05/2015 **at:** 14:19

Condition: Dead

Recommendations:

Fell & grind stump

Plant tree in soft ground - magnolia kobus

Tree-works visit 29/03/2013 **at:** 17:30

Condition: Fair

Tree works carried out:

General Prune

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:45

Condition: Fair

Recommendations:

General Prune

Tree-works visit 18/02/2010 **at:** 12:00

Condition: Excellent

Tree works carried out:

General Prune - GP

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Previous Inspection 19/01/2010 **at:** 12:00

Condition: Excellent

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Tree-works visit 15/06/2006 **at:** 12:00

Condition: Excellent

Tree works carried out:

STANDARD CYLICAL PRUNE (LARGE) - A1-SCP

Recommendations:

None recorded..

Inspectors Comments:

Bark Damage

Code/Seq: Sgl/20 (218064)

House/Locn: Outside 8

Description: Windsor Avenue

Species: Void Treepit

Common: Void Treepit

Last Inspection 01/12/2015 **at:** 11:26

Condition:

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 13:14

Condition:

Recommendations:

None recorded..

Previous Inspection 19/01/2010 **at:** 12:00

Condition:

Recommendations:

None recorded..

Code/Seq: Sgl/21 (218068)

House/Locn:

Description:

Species: Void Treepit

Common: Void Treepit

Last Inspection 04/12/2014 **at:** 11:06

Condition:

Recommendations:

None recorded..

Previous Inspection 23/10/2012 **at:** 12:55

Condition:

Recommendations:

None recorded..