

Roger Wilson
Chief Executive



**Armagh City
Banbridge
& Craigavon**
Borough Council

Our Ref: FI-2022-128
Contact: 0300 200 7830
Date: 25 March 2022

By Email to: Mr Paul Armstrong
request-839480-1acb031f@whatdotheyknow.com

Dear Mr Armstrong

Re: Environmental Information Regulations Request

Thank you for your request for information received on 22 March 2022 and processed under the terms of the Environmental Information Regulations 2004.

Council has considered your request for information and the response is enclosed.

If you are unhappy with the response, you have received in relation to your request you may ask for an internal review. A request for internal review should be submitted within two months of the date of this letter.

If you are not satisfied with the outcome of the internal review, you have the right to apply directly to the Information Commissioner's Office via its complaints portal:

<https://ico.org.uk/make-a-complaint/official-information-concerns-report/officialinformation-concern/>

Contact by post should be made as follows:

Information Commissioner's Office
Wycliffe House
Water Lane
Wilmslow
SK9 5AF

The Commissioner's Office will then undertake an independent review.

Yours sincerely

Damian Mulligan
Head of Planning

Armagh Office
The Palace Demesne
Armagh City
BT60 4EL

+44 (0)28 3752 9600

Banbridge Office
Civic Building
Downshire Road
Banbridge BT32 3JY

+44 (0)28 4066 0600

Craigavon Office
Craigavon Civic &
Conference Centre
Lakeview Road
Craigavon BT64 1AL

+44 (0)28 3831 2400

info@armaghibanbridgecraigavon.gov.uk
armaghibanbridgecraigavon.gov.uk

Your Request:

Thank you for this information. I have been unable to access a map of TPOs on the Armagh City, Banbridge & Craigavon Borough Council website. Therefore, could you please provide a spreadsheet outlining the 82 confirmed TPOs in the council area?

Council Response:

Details of the 82 confirmed TPOs are set out in the spreadsheet as follows:



TPO'S NEW REF NOS
POST APRIL 2015.xlsx